

$N(1710) 1/2^+$ $I(J^P) = \frac{1}{2}(\frac{1}{2}^+)$ Status: ****Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014). **$N(1710)$ POLE POSITION****REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1680 to 1720 (≈ 1700) OUR ESTIMATE			
1690 \pm 15	ANISOVICH	17A	DPWA Multichannel
1697 \pm 23	¹ ANISOVICH	17A	L+P $\gamma p, \pi^- p \rightarrow K \Lambda$
1770 $\pm 5\pm 2$	² SVARC	14	L+P $\pi N \rightarrow \pi N$
1690 \pm 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1651	ROENCHEN	15A	DPWA Multichannel
1690 \pm 15	SOKHOYAN	15A	DPWA Multichannel
1690 \pm 15	GUTZ	14	DPWA Multichannel
1670	SHKLYAR	13	DPWA Multichannel
1687 \pm 17	ANISOVICH	12A	DPWA Multichannel
1644	SHRESTHA	12A	DPWA Multichannel
1711 \pm 15	³ BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1679	VRANA	00	DPWA Multichannel
1690	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
1698	CUTKOSKY	90	IPWA $\pi N \rightarrow \pi N$

¹ Statistical error only.² Fit to the amplitudes of HOEHLER 79.³ BATINIC 10 finds evidence for a second P_{11} state with all parameters except for the phase of the pole residue very similar to the parameters we give here.**-2xIMAGINARY PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
80 to 160 (≈ 120) OUR ESTIMATE			
155 \pm 25	ANISOVICH	17A	DPWA Multichannel
84 \pm 34	¹ ANISOVICH	17A	L+P $\gamma p, \pi^- p \rightarrow K \Lambda$
98 $\pm 8\pm 5$	² SVARC	14	L+P $\pi N \rightarrow \pi N$
80 \pm 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
121	ROENCHEN	15A	DPWA Multichannel
170 \pm 20	SOKHOYAN	15A	DPWA Multichannel
170 \pm 20	GUTZ	14	DPWA Multichannel
159	SHKLYAR	13	DPWA Multichannel
200 \pm 25	ANISOVICH	12A	DPWA Multichannel
104	SHRESTHA	12A	DPWA Multichannel
174 \pm 16	³ BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
132	VRANA	00	DPWA Multichannel
200	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
88	CUTKOSKY	90	IPWA $\pi N \rightarrow \pi N$

¹ Statistical error only.² Fit to the amplitudes of HOEHLER 79.³ BATINIC 10 finds evidence for a second P_{11} state with all parameters except for the phase of the pole residue very similar to the parameters we give here.

$N(1710)$ ELASTIC POLE RESIDUE

MODULUS $|r|$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4 to 10 (≈ 7) OUR ESTIMATE			
6 ± 3	SOKHOYAN	15A DPWA	Multichannel
5 $\pm 1 \pm 1$	¹ SVARC	14 L+P	$\pi N \rightarrow \pi N$
8 ± 2	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
3.2	ROENCHEN	15A DPWA	Multichannel
6 ± 3	GUTZ	14 DPWA	Multichannel
11	SHKLYAR	13 DPWA	Multichannel
6 ± 4	ANISOVICH	12A DPWA	Multichannel
24	² BATINIC	10 DPWA	$\pi N \rightarrow N\pi, N\eta$
15	HOEHLER	93 SPED	$\pi N \rightarrow \pi N$
9	CUTKOSKY	90 IPWA	$\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.² BATINIC 10 finds evidence for a second P_{11} state with all parameters except for the phase of the pole residue very similar to the parameters we give here.

PHASE θ

<u>VALUE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
120 to 260 (≈ 190) OUR ESTIMATE			
130 ± 35	SOKHOYAN	15A DPWA	Multichannel
-104 $\pm 7 \pm 3$	¹ SVARC	14 L+P	$\pi N \rightarrow \pi N$
175 ± 35	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
55	ROENCHEN	15A DPWA	Multichannel
120 ± 45	GUTZ	14 DPWA	Multichannel
9	SHKLYAR	13 DPWA	Multichannel
120 ± 70	ANISOVICH	12A DPWA	Multichannel
20	² BATINIC	10 DPWA	$\pi N \rightarrow N\pi, N\eta$
-167	CUTKOSKY	90 IPWA	$\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.² BATINIC 10 finds evidence for a second P_{11} state with all parameters except for the phase of the pole residue very similar to the parameters we give here.

$N(1710)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1710) \rightarrow N\eta$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.12 ± 0.04	0 ± 45	ANISOVICH	12A DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.16	-180	ROENCHEN	15A DPWA	Multichannel

Normalized residue in $N\pi \rightarrow N(1710) \rightarrow \Lambda K$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.16 ± 0.05	-160 ± 25	ANISOVICH	17A DPWA	Multichannel
$0.12^{+0.24}_{-0.12}$	-119 ± 83	¹ ANISOVICH	17A L+P	$\gamma p, \pi^- p \rightarrow K \Lambda$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.12	-32	ROENCHEN	15A DPWA	Multichannel
0.17 ± 0.06	-110 ± 20	ANISOVICH	12A DPWA	Multichannel

¹Statistical error only.

Normalized residue in $N\pi \rightarrow N(1710) \rightarrow \Sigma K$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.004	-43	ROENCHEN	15A DPWA	Multichannel

Normalized residue in $N\pi \rightarrow N(1710) \rightarrow N(1535)\pi$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.10 ± 0.04	140 ± 40	GUTZ	14 DPWA	Multichannel

 $N(1710)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1680 to 1740 (≈ 1710) OUR ESTIMATE			
1715 ± 20	SOKHOYAN	15A DPWA	Multichannel
1737 ± 17	¹ SHKLYAR	13 DPWA	Multichannel
1662 ± 7	¹ SHRESTHA	12A DPWA	Multichannel
1700 ± 50	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
1723 ± 9	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1715 ± 20	GUTZ	14 DPWA	Multichannel
1710 ± 20	ANISOVICH	12A DPWA	Multichannel
1729 ± 16	² BATINIC	10 DPWA	$\pi N \rightarrow N\pi, N\eta$
1752 ± 3	PENNER	02C DPWA	Multichannel
1699 ± 65	VRANA	00 DPWA	Multichannel

¹Statistical error only.

²BATINIC 10 finds evidence for a second P_{11} state with all parameters except for the phase of the pole residue very similar to the parameters we give here.

 $N(1710)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
80 to 200 (≈ 140) OUR ESTIMATE			
175 ± 15	SOKHOYAN	15A DPWA	Multichannel
368 ± 120	¹ SHKLYAR	13 DPWA	Multichannel
116 ± 17	¹ SHRESTHA	12A DPWA	Multichannel
93 ± 30	CUTKOSKY	90 IPWA	$\pi N \rightarrow \pi N$
90 ± 30	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
120 ± 15	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

175 ± 15	GUTZ	14	DPWA	Multichannel
200 ± 18	ANISOVICH	12A	DPWA	Multichannel
180 ± 17	² BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
386 ± 59	PENNER	02C	DPWA	Multichannel
143 ± 100	VRANA	00	DPWA	Multichannel

¹Statistical error only.

²BATINIC 10 finds evidence for a second P_{11} state with all parameters except for the phase of the pole residue very similar to the parameters we give here.

N(1710) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	5–20 %
Γ_2 $N\eta$	10–50 %
Γ_3 $N\omega$	1–5 %
Γ_4 ΛK	5–25 %
Γ_5 ΣK	seen
Γ_6 $N\pi\pi$	seen
Γ_7 $\Delta(1232)\pi$	
Γ_8 $\Delta(1232)\pi, P\text{-wave}$	3–9 %
Γ_9 $N(1535)\pi$	9–21 %
Γ_{10} $N\rho$	
Γ_{11} $N\rho, S=1/2, P\text{-wave}$	11–23 %
Γ_{12} $p\gamma, \text{helicity}=1/2$	0.002–0.08 %
Γ_{13} $n\gamma, \text{helicity}=1/2$	0.0–0.02%

N(1710) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$					Γ_1/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		

5 to 20 (≈ 10) OUR ESTIMATE

5 ± 3	SOKHOYAN	15A	DPWA	Multichannel
2 ± 2	¹ SHKLYAR	13	PWA	Multichannel
15 ± 4	¹ SHRESTHA	12A	DPWA	Multichannel
20 ± 4	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
12 ± 4	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

5 ± 3	GUTZ	14	DPWA	Multichannel
5 ± 4	ANISOVICH	12A	DPWA	Multichannel
22 ± 24	² BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
14 ± 8	PENNER	02C	DPWA	Multichannel
27 ± 13	VRANA	00	DPWA	Multichannel

¹Statistical error only.

²BATINIC 10 finds evidence for a second P_{11} state with all parameters except for the phase of the pole residue very similar to the parameters we give here.

$\Gamma(N\eta)/\Gamma_{\text{total}}$					Γ_2/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
10 to 50 (≈ 30) OUR ESTIMATE					
45 ± 4	¹ SHKLYAR	13	DPWA	Multichannel	
17 ± 10	ANISOVICH	12A	DPWA	Multichannel	
11 ± 7	¹ SHRESTHA	12A	DPWA	Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
6 ± 8	² BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$	
36 ± 11	PENNER	02C	DPWA	Multichannel	
6 ± 1	VRANA	00	DPWA	Multichannel	
¹ Statistical error only.					
² BATINIC 10 finds evidence for a second P_{11} state with all parameters except for the phase of the pole residue very similar to the parameters we give here.					

$\Gamma(N\omega)/\Gamma_{\text{total}}$					Γ_3/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
1 to 5 (≈ 3) OUR ESTIMATE					
2 ± 2	DENISENKO	16	DPWA	Multichannel	
3 ± 2	¹ SHKLYAR	13	DPWA	Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
13 ± 2	PENNER	02C	DPWA	Multichannel	
¹ Statistical error only					

$\Gamma(\Lambda K)/\Gamma_{\text{total}}$					Γ_4/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
5 to 25 (≈ 15) OUR ESTIMATE					
23 ± 7	ANISOVICH	12A	DPWA	Multichannel	
8 ± 4	¹ SHRESTHA	12A	DPWA	Multichannel	
5 ± 3	SHKLYAR	05	DPWA	Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
5 ± 2	PENNER	02C	DPWA	Multichannel	
10 ± 10	VRANA	00	DPWA	Multichannel	
¹ Statistical error only.					

$\Gamma(\Sigma K)/\Gamma_{\text{total}}$					Γ_5/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
• • • We do not use the following data for averages, fits, limits, etc. • • •					
7 ± 7	PENNER	02C	DPWA	Multichannel	

$\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$					Γ_8/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
6 ± 3	¹ SHRESTHA	12A	DPWA	Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
39 ± 8	VRANA	00	DPWA	Multichannel	
¹ Statistical error only.					

$\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$ Γ_9/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
15 ± 6	GUTZ	14	DPWA Multichannel

 $\Gamma(N\rho, S=1/2, P\text{-wave})/\Gamma_{\text{total}}$ Γ_{11}/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
17 ± 6	¹ SHRESTHA	12A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

17 ± 1	VRANA	00	DPWA Multichannel
--------	-------	----	-------------------

¹Statistical error only.

 $N(1710)$ PHOTON DECAY AMPLITUDES AT THE POLE **$N(1710) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

<u>MODULUS ($\text{GeV}^{-1/2}$)</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.028 ^{+0.009} _{-0.002}	103 ⁺²⁰ ₋₆	ROENCHEN	14	DPWA

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.020	-83	ROENCHEN	15A	DPWA Multichannel
-------	-----	----------	-----	-------------------

 $N(1710)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES **$N(1710) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

<u>VALUE ($\text{GeV}^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.050 ± 0.010	SOKHOYAN	15A	DPWA Multichannel
-0.050 ± 0.001	¹ SHKLYAR	13	DPWA Multichannel
0.05 ± 0.01	GUTZ	14	DPWA Multichannel
0.052 ± 0.015	ANISOVICH	12A	DPWA Multichannel
-0.008 ± 0.003	² SHRESTHA	12A	DPWA Multichannel
0.044	PENNER	02D	DPWA Multichannel

¹Statistical error only

²Statistical error only.

 $N(1710) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE ($\text{GeV}^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.040 ± 0.020	ANISOVICH	13B	DPWA Multichannel
0.017 ± 0.003	¹ SHRESTHA	12A	DPWA Multichannel
-0.024	PENNER	02D	DPWA Multichannel

¹Statistical error only.

N(1710) REFERENCESFor early references, see Physics Letters **111B** 1 (1982).

ANISOVICH	17A	PRL 119 062004	A.V. Anisovich <i>et al.</i>	
DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>	
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
ROENCHEN	14	EPJ A50 101	D. Roenchen <i>et al.</i>	
Also		EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>	
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
SHKLYAR	05	PR C72 015210	V. Shklyar, H. Lenske, U. Mosel	(GIES)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	90	PR D42 235	R.E. Cutkosky, S. Wang	(CMU)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP