

# a<sub>0</sub>(1450)

$$I^G(J^{PC}) = 1^-(0^{++})$$

See minireview on scalar mesons under f<sub>0</sub>(500).

## a<sub>0</sub>(1450) MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>1474 ±19</b>	<b>OUR AVERAGE</b>			
1480 ±30		ABELE	98	CBAR 0.0 $\bar{p}p \rightarrow K_S^0 K^\pm \pi^\mp$
1470 ±25		<sup>1</sup> AMSLER	95D	CBAR 0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0, \pi^0 \eta \eta, \pi^0 \pi^0 \eta$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
1458 ±14 ±15	190k	AAIJ	16N	LHCB $D^0 \rightarrow K_S^0 K^\pm \pi^\mp$
1515 ±30		<sup>2</sup> ANISOVICH	09	RVUE 0.0 $\bar{p}p, \pi N$
1316.8 <sup>+</sup> <sub>-1.0</sub> <sup>0.7+24.7</sup> <sub>-4.6</sub>		<sup>3</sup> UEHARA	09A	BELL $\gamma\gamma \rightarrow \pi^0 \eta$
1432 ±13 ±25		<sup>4</sup> BUGG	08A	RVUE $\bar{p}p$
1477 ±10	80k	<sup>5</sup> UMAN	06	E835 5.2 $\bar{p}p \rightarrow \eta \eta \pi^0$
1441 <sup>+40</sup> <sub>-15</sub>	35280	<sup>2</sup> BAKER	03	SPEC $\bar{p}p \rightarrow \omega \pi^+ \pi^- \pi^0$
1303 ±16		<sup>6</sup> BARGIOTTI	03	OBLX $\bar{p}p$
1296 ±10		<sup>7</sup> AMSLER	02	CBAR 0.9 $\bar{p}p \rightarrow \pi^0 \pi^0 \eta$
1565 ±30		<sup>7</sup> ANISOVICH	98B	RVUE Compilation
1290 ±10		<sup>8</sup> BERTIN	98B	OBLX 0.0 $\bar{p}p \rightarrow K^\pm K_S^0 \pi^\mp$
1450 ±40		AMSLER	94D	CBAR 0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \eta$
1410 ±25		ETKIN	82C	MPS 23 $\pi^- p \rightarrow n 2K_S^0$
~ 1300		MARTIN	78	SPEC 10 $K^\pm p \rightarrow K_S^0 \pi p$
1255 ± 5		<sup>9</sup> CASON	76	

<sup>1</sup> Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.

<sup>2</sup> From the pole position.

<sup>3</sup> May be a different state.

<sup>4</sup> Using data from AMSLER 94D, ABELE 98, and BAKER 03. Supersedes BUGG 94.

<sup>5</sup> Statistical error only.

<sup>6</sup> Coupled channel analysis of  $\pi^+ \pi^- \pi^0$ ,  $K^+ K^- \pi^0$ , and  $K^\pm K_S^0 \pi^\mp$ .

<sup>7</sup> T-matrix pole.

<sup>8</sup> Not confirmed by BUGG 08A.

<sup>9</sup> Isospin 0 not excluded.

## a<sub>0</sub>(1450) WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>265 ±13</b>	<b>OUR AVERAGE</b>			
265 ±15		ABELE	98	CBAR 0.0 $\bar{p}p \rightarrow K_S^0 K^\pm \pi^\mp$
265 ±30		<sup>1</sup> AMSLER	95D	CBAR 0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0, \pi^0 \eta \eta, \pi^0 \pi^0 \eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

282 ±12 ±13	190k	AAIJ	16N	LHCB	$D^0 \rightarrow K_S^0 K^\pm \pi^\mp$
230 ±36		<sup>2</sup> ANISOVICH	09	RVUE	$0.0 \bar{p}p, \pi N$
$65.0^{+2.1+99.1}_{-5.4-32.6}$		<sup>3</sup> UEHARA	09A	BELL	$\gamma\gamma \rightarrow \pi^0 \eta$
196 ±10 ±10		<sup>4</sup> BUGG	08A	RVUE	$\bar{p}p$
267 ±11	80k	<sup>5</sup> UMAN	06	E835	$5.2 \bar{p}p \rightarrow \eta\eta\pi^0$
110 ±14	35280	<sup>2</sup> BAKER	03	SPEC	$\bar{p}p \rightarrow \omega\pi^+\pi^-\pi^0$
92 ±16		<sup>6</sup> BARGIOTTI	03	OBLX	$\bar{p}p$
81 ±21		<sup>7</sup> AMSLER	02	CBAR	$0.9 \bar{p}p \rightarrow \pi^0\pi^0\eta$
292 ±40		<sup>7</sup> ANISOVICH	98B	RVUE	Compilation
80 ±5		<sup>8</sup> BERTIN	98B	OBLX	$0.0 \bar{p}p \rightarrow K^\pm K_S^0 \pi^\mp$
270 ±40		AMSLER	94D	CBAR	$0.0 \bar{p}p \rightarrow \pi^0\pi^0\eta$
230 ±30		ETKIN	82C	MPS	$23 \pi^- p \rightarrow n2K_S^0$
~ 250		MARTIN	78	SPEC	$10 K^\pm p \rightarrow K_S^0 \pi p$
79 ±10		<sup>9</sup> CASON	76		

<sup>1</sup> Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.

<sup>2</sup> From the pole position.

<sup>3</sup> May be a different state.

<sup>4</sup> Using data from AMSLER 94D, ABELE 98, and BAKER 03. Supersedes BUGG 94.

<sup>5</sup> Statistical error only.

<sup>6</sup> Coupled channel analysis of  $\pi^+\pi^-\pi^0$ ,  $K^+K^-\pi^0$ , and  $K^\pm K_S^0 \pi^\mp$ .

<sup>7</sup> T-matrix pole.

<sup>8</sup> Not confirmed by BUGG 08A.

<sup>9</sup> Isospin 0 not excluded.

### $a_0(1450)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 \quad \pi\eta$	$0.093 \pm 0.020$
$\Gamma_2 \quad \pi\eta'(958)$	$0.033 \pm 0.017$
$\Gamma_3 \quad K\bar{K}$	$0.082 \pm 0.028$
$\Gamma_4 \quad \omega\pi\pi$	<b>DEFINED AS 1</b>
$\Gamma_5 \quad a_0(980)\pi\pi$	seen
$\Gamma_6 \quad \gamma\gamma$	seen

### $a_0(1450)$ $\Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(\pi\eta) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$	$\Gamma_1\Gamma_6/\Gamma$		
VALUE (eV)	DOCUMENT ID	TECN	COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

$432 \pm 6^{+1073}_{-256}$	<sup>1</sup> UEHARA	09A	BELL	$\gamma\gamma \rightarrow \pi^0 \eta$
----------------------------	---------------------	-----	------	---------------------------------------

<sup>1</sup> May be a different state.

## $a_0(1450)$ BRANCHING RATIOS

### $\Gamma(\pi\eta'(958))/\Gamma(\pi\eta)$ $\Gamma_2/\Gamma_1$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.35±0.16</b>	<sup>1</sup> ABELE	98	CBAR 0.0 $\bar{p}p \rightarrow K_L^0 K^\pm \pi^\mp$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.43±0.19	ABELE	97C	CBAR 0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \eta'$
-----------	-------	-----	---

<sup>1</sup> Using  $\pi^0 \eta$  from AMSLER 94D.

### $\Gamma(K\bar{K})/\Gamma(\pi\eta)$ $\Gamma_3/\Gamma_1$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.88±0.23</b>	<sup>1</sup> ABELE	98	CBAR 0.0 $\bar{p}p \rightarrow K_L^0 K^\pm \pi^\mp$

<sup>1</sup> Using  $\pi^0 \eta$  from AMSLER 94D.

### $\Gamma(\omega\pi\pi)/\Gamma(\pi\eta)$ $\Gamma_4/\Gamma_1$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>10.7±2.3</b>	35280	<sup>1</sup> BAKER	03	SPEC $\bar{p}p \rightarrow \omega \pi^+ \pi^- \pi^0$

<sup>1</sup> Using results on  $\bar{p}p \rightarrow a_0(1450)^0 \pi^0$ ,  $a_0(1450) \rightarrow \eta \pi^0$  from ABELE 96C and assuming the  $\omega\rho$  mechanism for the  $\omega\pi\pi$  state.

### $\Gamma(a_0(980)\pi\pi)/\Gamma_{\text{total}}$ $\Gamma_5/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>seen</b>	BUGG	08A	RVUE $\bar{p}p$

### $\Gamma(a_0(980)\pi\pi)/\Gamma(\pi\eta)$ $\Gamma_5/\Gamma_1$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
--------------	--------------------	-------------	------------	----------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

$\leq 4.3$	ANISOVICH	01	RVUE	0 $\bar{p}p \rightarrow \eta 2\pi^+ 2\pi^-$
------------	-----------	----	------	---

### $\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ $\Gamma_6/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>seen</b>	<sup>1</sup> UEHARA	09A	BELL $\gamma\gamma \rightarrow \pi^0 \eta$

<sup>1</sup> May be a different state.

## $a_0(1450)$ REFERENCES

AAIJ	16N	PR D93 052018	R. Aaij <i>et al.</i>	(LHCb Collab.)
ANISOVICH	09	IJMP A24 2481	V.V. Anisovich, A.V. Sarantsev	
UEHARA	09A	PR D80 032001	S. Uehara <i>et al.</i>	(BELLE Collab.)
BUGG	08A	PR D78 074023	D.V. Bugg	(LOQM)
UMAN	06	PR D73 052009	I. Uman <i>et al.</i>	(FNAL E835)
BAKER	03	PL B563 140	C.A. Baker <i>et al.</i>	
BARGIOTTI	03	EPJ C26 371	M. Bargiotti <i>et al.</i>	(OBELIX Collab.)
AMSLER	02	EPJ C23 29	C. Amsler <i>et al.</i>	
ANISOVICH	01	NP A690 567	A.V. Anisovich <i>et al.</i>	
ABELE	98	PR D57 3860	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	98B	SPU 41 419	V.V. Anisovich <i>et al.</i>	

Translated from UFN 168 481.

BERTIN	98B	PL B434 180	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ABELE	97C	PL B404 179	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	96C	NP A609 562	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95B	PL B342 433	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95C	PL B353 571	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95D	PL B355 425	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	94D	PL B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.) IGJPC
BUGG	94	PR D50 4412	D.V. Bugg <i>et al.</i>	(LOQM)
ETKIN	82C	PR D25 2446	A. Etkin <i>et al.</i>	(BNL, CUNY, TUFTS, VAND)
MARTIN	78	NP B134 392	A.D. Martin <i>et al.</i>	(DURH, GEVA)
CASON	76	PRL 36 1485	N.M. Cason <i>et al.</i>	(NDAM, ANL)

---