

$\Delta(2200) 7/2^-$  $I(J^P) = \frac{3}{2}(\frac{7}{2}^-)$  Status: \*\*\* **$\Delta(2200)$  POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>2050 to 2150 (<math>\approx</math> 2100) OUR ESTIMATE</b>			
2100 $\pm$ 50	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2142	ROENCHEN 15A	DPWA	Multichannel

**–2 $\times$ IMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>260 to 420 (<math>\approx</math> 340) OUR ESTIMATE</b>			
340 $\pm$ 80	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
486	ROENCHEN 15A	DPWA	Multichannel

 **$\Delta(2200)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
8 $\pm$ 3	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
17	ROENCHEN 15A	DPWA	Multichannel

**PHASE  $\theta$** 

VALUE ( $^\circ$ )	DOCUMENT ID	TECN	COMMENT
–70 $\pm$ 40	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
–56	ROENCHEN 15A	DPWA	Multichannel

 **$\Delta(2200)$  INELASTIC POLE RESIDUE**

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

**Normalized residue in  $N\pi \rightarrow \Delta(2200) \rightarrow \Sigma K$** 

MODULUS	PHASE ( $^\circ$ )	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.005	–103	ROENCHEN 15A	DPWA	Multichannel

**Normalized residue in  $N\pi \rightarrow \Delta(2200) \rightarrow \Delta\pi, D$ -wave**

MODULUS	PHASE ( $^\circ$ )	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.23	107	ROENCHEN 15A	DPWA	Multichannel

**Normalized residue in  $N\pi \rightarrow \Delta(2200) \rightarrow \Delta\pi$ , G-wave**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • •	We do not use the following data for averages, fits, limits, etc.	• • •		
0.022	-151	ROENCHEN	15A DPWA	Multichannel

 **$\Delta(2200)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2150 to 2250 (<math>\approx 2200</math>) OUR ESTIMATE</b>			
2176 $\pm$ 40	ANISOVICH	17 DPWA	Multichannel
2200 $\pm$ 80	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
2215 $\pm$ 60	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$

 **$\Delta(2200)$  BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>200 to 500 (<math>\approx 350</math>) OUR ESTIMATE</b>			
210 $\pm$ 70	ANISOVICH	17 DPWA	Multichannel
450 $\pm$ 100	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
400 $\pm$ 100	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$

 **$\Delta(2200)$  DECAY MODES**

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\pi$	2–8 %
$\Gamma_2$ $\Sigma K$	1–7 %
$\Gamma_3$ $\Delta\pi$ , D-wave	40–100 %
$\Gamma_4$ $\Delta\pi$ , G-wave	5–25 %
$\Gamma_5$ $\Delta\eta$ , D-wave	seen

 **$\Delta(2200)$  BRANCHING RATIOS**

<b><math>\Gamma(N\pi)/\Gamma_{\text{total}}</math></b>	<b><math>\Gamma_1/\Gamma</math></b>		
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2 to 8 (<math>\approx 5</math>) OUR ESTIMATE</b>			
3.5 $\pm$ 1.5	ANISOVICH	17 DPWA	Multichannel
6 $\pm$ 2	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
5 $\pm$ 2	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$
<b><math>\Gamma(\Sigma K)/\Gamma_{\text{total}}</math></b>	<b><math>\Gamma_2/\Gamma</math></b>		
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.04 $\pm$ 0.03	ANISOVICH	17 DPWA	Multichannel
<b><math>\Gamma(\Delta\pi, D\text{-wave})/\Gamma_{\text{total}}</math></b>	<b><math>\Gamma_3/\Gamma</math></b>		
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.70 $\pm$ 0.30	ANISOVICH	17 DPWA	Multichannel

$\Gamma(\Delta\pi, G\text{-wave})/\Gamma_{\text{total}}$				$\Gamma_4/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
$0.15 \pm 0.10$	ANISOVICH 17	DPWA	Multichannel	

$\Gamma(\Delta\eta, D\text{-wave})/\Gamma_{\text{total}}$				$\Gamma_5/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
$\sim 0.01$	ANISOVICH 17	DPWA	Multichannel	

### $\Delta(2200)$ PHOTON DECAY AMPLITUDES AT THE POLE

#### $\Delta(2200) \rightarrow N\gamma$ , helicity-1/2 amplitude $A_{1/2}$

<u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.107^{+0.011}_{-0.020}$	$-36 \pm 5$	ROENCHEN 14	DPWA	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.106	-23	ROENCHEN 15A	DPWA	Multichannel

#### $\Delta(2200) \rightarrow N\gamma$ , helicity-3/2 amplitude $A_{3/2}$

<u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$-0.131^{+0.024}_{-0.009}$	$113^{+9}_{-5}$	ROENCHEN 14	DPWA	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.157	-60	ROENCHEN 15A	DPWA	Multichannel

### $\Delta(2200)$ REFERENCES

ANISOVICH 17	PL B766 357	A.V. Anisovich <i>et al.</i>	
ROENCHEN 15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
ROENCHEN 14	EPJ A50 101	D. Roenchen <i>et al.</i>	
Also	EPJ A51 63 (errata.)	D. Roenchen <i>et al.</i>	
CUTKOSKY 80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also	PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER 79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also	Toronto Conf. 3	R. Koch	(KARLT) IJP