

$D_{s1}(2460)^\pm$  $I(J^P) = 0(1^+)^\pm$  **$D_{s1}(2460)^\pm$  MASS**

The fit includes  $D^\pm$ ,  $D^0$ ,  $D_s^\pm$ ,  $D^{*\pm}$ ,  $D^{*0}$ ,  $D_s^{*\pm}$ ,  $D_1(2420)^0$ ,  $D_2^*(2460)^0$ , and  $D_{s1}(2536)^\pm$  mass and mass difference measurements.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>2459.5±0.6 OUR FIT</b>	Error includes scale factor of 1.1.			
<b>2459.6±0.9 OUR AVERAGE</b>	Error includes scale factor of 1.3.			
2460.1±0.2±0.8		<sup>1</sup> AUBERT	06P BABR	10.6 $e^+e^-$
2458.0±1.0±1.0	195	AUBERT	04E BABR	10.6 $e^+e^-$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
2459.5±1.2±3.7	920	AUBERT	06P BABR	10.6 $e^+e^- \rightarrow D_s^+ \gamma X$
2458.6±1.0±2.5	560	AUBERT	06P BABR	10.6 $e^+e^- \rightarrow D_s^+ \pi^0 \gamma X$
2460.2±0.2±0.8	123	AUBERT	06P BABR	10.6 $e^+e^- \rightarrow D_s^+ \pi^+ \pi^- X$
2458.9±1.5	112	<sup>2</sup> AUBERT,B	04S BABR	$B \rightarrow D_{s1}(2460)^+ \bar{D}^{*0}$
2461.1±1.6	139	<sup>3</sup> AUBERT,B	04S BABR	$B \rightarrow D_{s1}(2460)^+ \bar{D}^{*0}$
2456.5±1.3±1.3	126	<sup>4,5</sup> MIKAMI	04 BELL	10.6 $e^+e^-$
2459.5±1.3±2.0	152	<sup>6,7</sup> MIKAMI	04 BELL	10.6 $e^+e^-$
2459.9±0.9±1.6	60	<sup>6,7</sup> MIKAMI	04 BELL	10.6 $e^+e^-$
2459.2±1.6±2.0	57	KROKOVNY	03B BELL	10.6 $e^+e^-$

<sup>1</sup> The average of the values obtained from the  $D_s^+ \gamma$ ,  $D_s^+ \pi^0 \gamma$ ,  $D_s^+ \pi^+ \pi^-$  final state.

<sup>2</sup> Systematic errors not evaluated. From the decay to  $D_s^{*+} \pi^0$ .

<sup>3</sup> Systematic errors not evaluated. From the decay to  $D_s^+ \gamma$ .

<sup>4</sup> Not independent of the corresponding  $m_{D_{s1}(2460)^\pm} - m_{D_s^{*\pm}}$ .

<sup>5</sup> Using  $m_{D_s^{*+}} = 2112.4 \pm 0.7$  MeV.

<sup>6</sup> Not independent of the corresponding  $m_{D_{s1}(2460)^\pm} - m_{D_s^\pm}$ .


<sup>7</sup> Using  $m_{D_s^+} = 1968.5 \pm 0.6$  MeV.

 **$m_{D_{s1}(2460)^\pm} - m_{D_s^{*\pm}}$** 

The fit includes  $D^\pm$ ,  $D^0$ ,  $D_s^\pm$ ,  $D^{*\pm}$ ,  $D^{*0}$ ,  $D_s^{*\pm}$ ,  $D_1(2420)^0$ ,  $D_2^*(2460)^0$ , and  $D_{s1}(2536)^\pm$  mass and mass difference measurements.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>347.3±0.7 OUR FIT</b>	Error includes scale factor of 1.2.			
<b>347.1±2.2 OUR AVERAGE</b>	Error includes scale factor of 1.9. See the ideogram below.			
344.1±1.3±1.1	126	MIKAMI	04 BELL	10.6 $e^+e^-$
351.2±1.7±1.0	41	BESSON	03 CLE2	10.6 $e^+e^-$
346.8±1.6±1.9	57	<sup>8</sup> KROKOVNY	03B BELL	10.6 $e^+e^-$

<sup>8</sup> Recalculated by us using  $m_{D_s^{*+}} = 2112.4 \pm 0.7$  MeV.



### $m_{D_{s1}(2460)^{\pm}} - m_{D_s^{\pm}}$

The fit includes  $D^{\pm}$ ,  $D^0$ ,  $D_s^{\pm}$ ,  $D_s^{*0}$ ,  $D_s^{*\pm}$ ,  $D_1(2420)^0$ ,  $D_2^*(2460)^0$ , and  $D_{s1}(2536)^{\pm}$  mass and mass difference measurements.

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>491.2±0.6 OUR FIT</b>	Error includes scale factor of 1.1.			
<b>491.3±1.4 OUR AVERAGE</b>				
491.0±1.3±1.9	152	<sup>9</sup> MIKAMI	04 BELL	10.6 $e^+e^-$
491.4±0.9±1.5	60	<sup>10</sup> MIKAMI	04 BELL	10.6 $e^+e^-$

<sup>9</sup> From the decay to  $D_s^{\pm}\gamma$ .

<sup>10</sup> From the decay to  $D_s^{\pm}\pi^+\pi^-$ .

### $D_{s1}(2460)^{\pm}$ WIDTH

<u>VALUE (MeV)</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt; 3.5</b>	95	123	AUBERT	06P BABR	10.6 $e^+e^- \rightarrow D_s^+\pi^+\pi^- X$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 6.3	95	560	AUBERT	06P	BABR	10.6	$e^+e^- \rightarrow D_s^+ \pi^0 \gamma X$
< 10		195	AUBERT	04E	BABR	10.6	$e^+e^-$
< 5.5	90	126	MIKAMI	04	BELL	10.6	$e^+e^-$
< 7	90	41	BESSION	03	CLE2	10.6	$e^+e^-$

### $D_{s1}(2460)^+$ DECAY MODES

$D_{s1}(2460)^-$  modes are charge conjugates of the modes below.

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/ Confidence level
$\Gamma_1$ $D_s^{*+} \pi^0$	(48 ± 11) %	
$\Gamma_2$ $D_s^+ \gamma$	(18 ± 4) %	
$\Gamma_3$ $D_s^+ \pi^+ \pi^-$	(4.3 ± 1.3) %	S=1.1
$\Gamma_4$ $D_s^{*+} \gamma$	< 8 %	CL=90%
$\Gamma_5$ $D_{s0}^*(2317)^+ \gamma$	(3.7 <sup>+5.0</sup> <sub>-2.4</sub> ) %	
$\Gamma_6$ $D_s^+ \pi^0$		
$\Gamma_7$ $D_s^+ \pi^0 \pi^0$		
$\Gamma_8$ $D_s^+ \gamma \gamma$		

### CONSTRAINED FIT INFORMATION

An overall fit to 7 branching ratios uses 8 measurements and one constraint to determine 5 parameters. The overall fit has a  $\chi^2 = 3.4$  for 4 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$ , in percent, from the fit to the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

$x_2$	80		
$x_3$	68	62	
$x_5$	-3	25	26
	$x_1$	$x_2$	$x_3$

### $D_{s1}(2460)^\pm$ BRANCHING RATIOS

$\Gamma(D_s^{*+} \pi^0) / \Gamma_{\text{total}}$					$\Gamma_1/\Gamma$
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	
<b>0.48 ± 0.11</b>					
<b>0.56 ± 0.13 ± 0.09</b>		<sup>11</sup> AUBERT	06N	BABR	$B \rightarrow D_{s1}(2460)^- \bar{D}^{(*)}$

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen 41 BESSION 03 CLE2 10.6  $e^+e^-$

<sup>11</sup> Evaluated in AUBERT 06N including measurements from AUBERT, B 04s.

$\Gamma(D_s^+ \gamma)/\Gamma_{\text{total}}$   $\Gamma_2/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.18 ± 0.04 OUR FIT</b>			
<b>0.16 ± 0.04 ± 0.03</b>	<sup>12</sup> AUBERT	06N BABR	$B \rightarrow D_{s1}(2460)^- \bar{D}^{(*)}$

<sup>12</sup> Evaluated in AUBERT 06N including measurements from AUBERT, B 04s.

$\Gamma(D_s^+ \gamma)/\Gamma(D_s^{*+} \pi^0)$   $\Gamma_2/\Gamma_1$

VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.38 ± 0.05 OUR FIT</b>					
<b>0.44 ± 0.09 OUR AVERAGE</b>					
0.55 ± 0.13 ± 0.08		152	MIKAMI	04 BELL	10.6 $e^+ e^-$
0.38 ± 0.11 ± 0.04		38	KROKOVNY	03B BELL	10.6 $e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.274 ± 0.045 ± 0.020		251	<sup>13</sup> AUBERT, B	04S BABR	$B \rightarrow D_{s1}(2460)^+ \bar{D}^{(*)}$
< 0.49		90	BESSION	03 CLE2	10.6 $e^+ e^-$

<sup>13</sup> Used by AUBERT 06N in their measurement of  $B(D_s^{*-} \pi^0)$  and  $B(D_s^- \gamma)$ .

$\Gamma(D_s^+ \pi^+ \pi^-)/\Gamma(D_s^{*+} \pi^0)$   $\Gamma_3/\Gamma_1$

VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.090 ± 0.020 OUR FIT</b>	Error includes scale factor of 1.2.				
<b>0.14 ± 0.04 ± 0.02</b>		60	MIKAMI	04 BELL	10.6 $e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
< 0.08		90	BESSION	03 CLE2	10.6 $e^+ e^-$

$\Gamma(D_s^{*+} \gamma)/\Gamma(D_s^{*+} \pi^0)$   $\Gamma_4/\Gamma_1$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt; 0.16</b>	90	BESSION	03 CLE2	10.6 $e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
< 0.31	90	MIKAMI	04 BELL	10.6 $e^+ e^-$

$\Gamma(D_{s0}^*(2317)^+ \gamma)/\Gamma(D_s^{*+} \pi^0)$   $\Gamma_5/\Gamma_1$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt; 0.22</b>	95	AUBERT	04E BABR	10.6 $e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
< 0.58	90	BESSION	03 CLE2	10.6 $e^+ e^-$

$\Gamma(D_s^{*+} \pi^0)/[\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$   $\Gamma_1/(\Gamma_1 + \Gamma_5)$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.93 ± 0.09 OUR FIT</b>			
<b>0.97 ± 0.09 ± 0.05</b>	AUBERT	06P BABR	10.6 $e^+ e^-$

$\Gamma(D_s^+ \gamma)/[\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$   $\Gamma_2/(\Gamma_1 + \Gamma_5)$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.35 ± 0.04 OUR FIT</b>			
<b>0.337 ± 0.036 ± 0.038</b>	AUBERT	06P BABR	10.6 $e^+ e^-$

$\Gamma(D_s^+ \pi^+ \pi^-) / [\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$					$\Gamma_3 / (\Gamma_1 + \Gamma_5)$
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
<b>0.083 ± 0.017 OUR FIT</b>				Error includes scale factor of 1.2.	
<b>0.077 ± 0.013 ± 0.008</b>		AUBERT	06P	BABR	10.6 e <sup>+</sup> e <sup>-</sup>
$\Gamma(D_s^{*+} \gamma) / [\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$					$\Gamma_4 / (\Gamma_1 + \Gamma_5)$
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
<b>&lt;0.24</b>	95	AUBERT	06P	BABR	10.6 e <sup>+</sup> e <sup>-</sup>
$\Gamma(D_{s0}^*(2317)^+ \gamma) / [\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$					$\Gamma_5 / (\Gamma_1 + \Gamma_5)$
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
<b>&lt;0.25</b>	95	AUBERT	06P	BABR	10.6 e <sup>+</sup> e <sup>-</sup>
$\Gamma(D_s^+ \pi^0) / [\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$					$\Gamma_6 / (\Gamma_1 + \Gamma_5)$
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
<b>&lt;0.042</b>	95	AUBERT	06P	BABR	10.6 e <sup>+</sup> e <sup>-</sup>
$\Gamma(D_s^+ \pi^0 \pi^0) / [\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$					$\Gamma_7 / (\Gamma_1 + \Gamma_5)$
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
<b>&lt;0.68</b>	95	AUBERT	06P	BABR	10.6 e <sup>+</sup> e <sup>-</sup>
$\Gamma(D_s^+ \gamma \gamma) / [\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$					$\Gamma_8 / (\Gamma_1 + \Gamma_5)$
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
<b>&lt;0.33</b>	95	AUBERT	06P	BABR	10.6 e <sup>+</sup> e <sup>-</sup>

### $D_{s1}(2460)^\pm$ REFERENCES

AUBERT	06N	PR D74 031103	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	06P	PR D74 032007	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	04E	PR D69 031101	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT,B	04S	PRL 93 181801	B. Aubert <i>et al.</i>	(BABAR Collab.)
MIKAMI	04	PRL 92 012002	Y. Mikami <i>et al.</i>	(BELLE Collab.)
BESSION	03	PR D68 032002	D. Besson <i>et al.</i>	(CLEO Collab.)
KROKOVNY	03B	PRL 91 262002	P. Krokovny <i>et al.</i>	(BELLE Collab.)