

## Further States

### OMITTED FROM SUMMARY TABLE

This section contains states observed by a single group or states poorly established that thus need confirmation.

### QUANTUM NUMBERS, MASSES, WIDTHS, AND BRANCHING RATIOS

<b>X(360)</b> $I^G(J^{PC}) = ?^?(?^?+)$					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$360 \pm 7 \pm 9$	$64 \pm 18$	2.3k	<sup>1</sup> ABRAAMYAN 09	CNTR	$2.75 d C \rightarrow \gamma \gamma X$

<sup>1</sup> Not seen in  $p C \rightarrow \gamma \gamma X$  at 5.5 GeV/c.

<b>X(1070)</b> $I^G(J^{PC}) = ?^?(0^{++})$					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>COMMENT</u>		
$1072 \pm 1$	$3.5 \pm 0.5$	<sup>2</sup> VLADIMIRSK...08	40	$\pi^- p \rightarrow K_S^0 K_S^0 n + m \pi^0$	

<sup>2</sup> Supersedes GRIGOR'EV 05.

<b>X(1110)</b> $I^G(J^{PC}) = 0^+(\text{even } ++)$					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
$1107 \pm 4$	$111 \pm 8 \pm 15$	DAFTARI	87	DBC	$0. \bar{p} n \rightarrow \rho^- \pi^+ \pi^-$

<b>f<sub>0</sub>(1200–1600)</b> $I^G(J^{PC}) = 0^+(0^{++})$					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
$1323 \pm 8$	$237 \pm 20$	VLADIMIRSK...06	SPEC	40	$\pi^- p \rightarrow K_S^0 K_S^0 n$
$1480^{+100}_{-150}$	$1030^{+80}_{-170}$	<sup>3</sup> ANISOVICH	03	SPEC	
$1530^{+90}_{-250}$	$560 \pm 40$	<sup>4</sup> ANISOVICH	03	SPEC	

<sup>3</sup> K-matrix pole from combined analysis of  $\pi^- p \rightarrow \pi^0 \pi^0 n$ ,  $\pi^- p \rightarrow K \bar{K} n$ ,  $\pi^+ \pi^- \rightarrow \pi^+ \pi^-$ ,  $\bar{p} p \rightarrow \pi^0 \pi^0 \pi^0$ ,  $\pi^0 \eta \eta$ ,  $\pi^0 \pi^0 \eta$ ,  $\pi^+ \pi^- \pi^0$ ,  $K^+ K^- \pi^0$ ,  $K_S^0 K_S^0 \pi^0$ ,  $K^+ K_S^0 \pi^-$  at rest,  $\bar{p} n \rightarrow \pi^- \pi^- \pi^+$ ,  $K_S^0 K^- \pi^0$ ,  $K_S^0 K_S^0 \pi^-$  at rest.

<sup>4</sup> K-matrix pole from combined analysis of  $\pi^- p \rightarrow \pi^0 \pi^0 n$ ,  $\pi^- p \rightarrow K \bar{K} n$ ,  $\bar{p} p \rightarrow \pi^0 \pi^0 \pi^0$ ,  $\pi^0 \eta \eta$ ,  $\pi^0 \pi^0 \eta$  at rest.

<b>X(1420)</b> $I^G(J^{PC}) = 2^+(0^{++})$					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
$1420 \pm 20$	$160 \pm 10$	FILIPPI	00	OBLX	$0 \bar{n} p \rightarrow \pi^+ \pi^+ \pi^-$

<b>X(1545)</b> $I^G(J^{PC}) = ?^?(?^{++})$					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>COMMENT</u>		
$1545 \pm 3$	$6.0 \pm 2.5$	<sup>5</sup> VLADIMIRSK...08	40	$\pi^- p \rightarrow K_S^0 K_S^0 n + m \pi^0$	

<sup>5</sup>Supersedes VLADIMIRSKII 00.

<b>X(1575)</b> $I^G(J^{PC}) = ??(1^{--})$					
MASS (MeV)	WIDTH (MeV)	DOCUMENT ID	TECN	COMMENT	
$1576^{+49+98}_{-55-91}$	$818^{+22+64}_{-23-133}$	<sup>6</sup> ABLIKIM	06S BES	$J/\psi \rightarrow K^+ K^- \pi^0$	

<sup>6</sup> A broad peak observed at  $K^+ K^-$  invariant mass. Mass and width above are its pole position. The observed branching ratio is  $B(J/\psi \rightarrow X \pi^0) B(X \rightarrow K^+ K^-) = (8.5 \pm 0.6^{+2.7}_{-3.6}) \times 10^{-4}$ .

<b>X(1600)</b> $I^G(J^{PC}) = 2^+(2^{++})$					
MASS (MeV)	WIDTH (MeV)	DOCUMENT ID	TECN	COMMENT	
$1600 \pm 100$	$400 \pm 200$	<sup>7</sup> ALBRECHT	91F ARG	$10.2 e^+ e^- \rightarrow e^+ e^- 2(\pi^+ \pi^-)$	

<sup>7</sup> Our estimate.

<b>X(1650)</b> $I^G(J^{PC}) = 0^-(??^-)$					
MASS (MeV)	WIDTH (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
$1652 \pm 7$	<50	100	PROKOSHKIN 96	GAM2	$32,38 \pi p \rightarrow \omega \eta n$

<b>X(1730)</b> $I^G(J^{PC}) = ??(??^+)$					
MASS (MeV)	WIDTH (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
$1731.0 \pm 1.2 \pm 2.0$	$3.2 \pm 0.8 \pm 1.3$	58	VLADIMIRSK...07	SPEC	$40 \pi^- p \rightarrow K_S^0 K_S^0 X$

<b>X(1750)</b> $I^G(J^{PC}) = ??(1^{--})$					
MASS (MeV)	WIDTH (MeV)	DOCUMENT ID	TECN	COMMENT	
$1753.5 \pm 1.5 \pm 2.3$	$122.2 \pm 6.2 \pm 8.0$	LINK	02K FOCS	$20-160 \gamma p \rightarrow K^+ K^- p$	

**$B(X(1750) \rightarrow \bar{K}^*(892)^0 K^0 \rightarrow K^\pm \pi^\mp K_S^0) / B(X(1750) \rightarrow K^+ K^-)$**

VALUE	CL%	DOCUMENT ID	TECN
<0.065	90	LINK	02K FOCS

**$B(X(1750) \rightarrow K^*(892)^\pm K^\mp \rightarrow K_S^0 \pi^\pm K^\mp) / B(X(1750) \rightarrow K^+ K^-)$**

VALUE	CL%	DOCUMENT ID	TECN
<0.183	90	LINK	02K FOCS

<b>f<sub>2</sub>(1750)</b> $I^G(J^{PC}) = 0^+(2^{++})$					
MASS (MeV)	WIDTH (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
$1755 \pm 10$	$67 \pm 12$	870	<sup>8</sup> SCHEGELSKY 06A	RVUE	$\gamma\gamma \rightarrow K_S^0 K_S^0$

**$\Gamma(K\bar{K})$**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
$17 \pm 5$	870	<sup>9</sup> SCHEGELSKY 06A	RVUE	$\gamma\gamma \rightarrow K_S^0 K_S^0$

**$\Gamma(\gamma\gamma)$**

<u>VALUE (keV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.13±0.04	870	<sup>9</sup> SCHEGELSKY 06A	RVUE	$\gamma\gamma \rightarrow K_S^0 K_S^0$

**$\Gamma(\pi\pi)$**

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.3±1.0	870	<sup>9</sup> SCHEGELSKY 06A	RVUE	$\gamma\gamma \rightarrow K_S^0 K_S^0$

**$\Gamma(\eta\eta)$**

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.0±0.5	870	<sup>9</sup> SCHEGELSKY 06A	RVUE	$\gamma\gamma \rightarrow K_S^0 K_S^0$

<sup>8</sup> From analysis of L3 data at 91 and 183–209 GeV.

<sup>9</sup> From analysis of L3 data at 91 and 183–209 GeV and using SU(3) relations.

**$X(1775)$**   $I^G(J^{PC}) = 1^-(?^-+)$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1763±20	192 ± 60	CONDO 91	SHF	$\gamma p \rightarrow (p\pi^+)(\pi^+\pi^-\pi^-)$
1787±18	118 ± 60	CONDO 91	SHF	$\gamma p \rightarrow n\pi^+\pi^+\pi^-$

**$f_0(1800)$**   $I^G(J^{PC}) = 0^+(0^{++})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1795 ± 7 <sup>+23</sup> <sub>-20</sub>	95 ± 10 <sup>+78</sup> <sub>-82</sub>	ABLIKIM	13J BES3	$J/\psi \rightarrow \gamma\omega\phi$
1812 <sup>+19</sup> <sub>-26</sub> ± 18	105 ± 20 ± 28	<sup>10</sup> ABLIKIM	06J BES2	$J/\psi \rightarrow \gamma\omega\phi$

<sup>10</sup> Not seen by LIU 09 in  $B^\pm \rightarrow K^\pm\omega\phi$ .

**$X(1850 - 3100)$**   $I^G(J^{PC}) = ?^?(1^{--})$

<u><math>\Gamma(e^+e^-) \cdot B(X \rightarrow \text{hadrons})</math> (eV)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<120	90	<sup>11</sup> ANASHIN	11 KEDR	$e^+e^- \rightarrow \text{hadrons}$

<sup>11</sup> This limit is center-of-mass energy dependent. We quote the most stringent one.

**$X(1855)$**   $I^G(J^{PC}) = ?^?(?^{??})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1856.6±5	20 ± 5	BRIDGES	86D SPEC	0. $\bar{p}d \rightarrow \pi\pi N$

**$X(1870)$**   $I^G(J^{PC}) = ?^?(2^{??})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1870±40	250 ± 30	ALDE	86D GAM4	100 $\pi^-\rho \rightarrow 2\eta X$

**$a_3(1875)$**   $I^G(J^{PC}) = 1^-(3^{++})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1874±43±96	385 ± 121 ± 114	CHUNG	02 B852	18.3 $\pi^-\rho \rightarrow \pi^+\pi^-\pi^-\rho$

**$B(a_3(1875) \rightarrow f_2(1270)\pi)/B(a_3(1875) \rightarrow \rho\pi)$** 

VALUE	DOCUMENT ID	TECN	COMMENT
$0.8 \pm 0.2$	<sup>12</sup> CHUNG	02	B852 $18.3 \pi^- p \rightarrow \pi^+ \pi^- \pi^- p$

<sup>12</sup> Using the observable fractions of 50.0%  $\rho\pi$ , 56.5%  $f_2\pi$ , and 11.8%  $\rho_3\pi$ .

 **$B(a_3(1875) \rightarrow \rho_3(1690)\pi)/B(a_3(1875) \rightarrow \rho\pi)$** 

VALUE	DOCUMENT ID	TECN	COMMENT
$0.9 \pm 0.3$	<sup>13</sup> CHUNG	02	B852 $18.3 \pi^- p \rightarrow \pi^+ \pi^- \pi^- p$

<sup>13</sup> Using the observable fractions of 50.0%  $\rho\pi$ , 56.5%  $f_2\pi$ , and 11.8%  $\rho_3\pi$ .

 **$a_1(1930) \quad I^G(J^{PC}) = 1^-(1^{++})$** 

MASS (MeV)	WIDTH (MeV)	DOCUMENT ID	TECN	COMMENT
$1930^{+30}_{-70}$	$155 \pm 45$	ANISOVICH	01F	SPEC $2.0 \bar{p}p \rightarrow 3\pi^0, \pi^0\eta, \pi^0\eta'$

 **$X(1935) \quad I^G(J^{PC}) = 1^+(1^{-?})$** 

MASS (MeV)	WIDTH (MeV)	DOCUMENT ID	TECN	COMMENT
$1935 \pm 20$	$215 \pm 30$	EVANGELIS...	79	OMEG $10,16 \pi^- p \rightarrow \bar{p}pn$

 **$\rho_2(1940) \quad I^G(J^{PC}) = 1^+(2^{--})$** 

MASS (MeV)	WIDTH (MeV)	DOCUMENT ID	TECN	COMMENT
$1940 \pm 40$	$155 \pm 40$	<sup>14</sup> ANISOVICH	02	SPEC $0.6-1.9 p\bar{p} \rightarrow \omega\pi^0, \omega\eta\pi^0, \pi^+\pi^-$

<sup>14</sup> From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

 **$\omega_3(1945) \quad I^G(J^{PC}) = 0^-(3^{--})$** 

MASS (MeV)	WIDTH (MeV)	DOCUMENT ID	TECN	COMMENT
$1945 \pm 20$	$115 \pm 22$	<sup>15</sup> ANISOVICH	02B	SPEC $0.6-1.9 p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$

<sup>15</sup> From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

 **$a_2(1950) \quad I^G(J^{PC}) = 1^-(2^{++})$** 

MASS (MeV)	WIDTH (MeV)	DOCUMENT ID	TECN	COMMENT
$1950^{+30}_{-70}$	$180^{+30}_{-70}$	<sup>16</sup> ANISOVICH	01F	SPEC $1.96-2.41 \bar{p}p$

<sup>16</sup> From the combined analysis of ANISOVICH 99C, ANISOVICH 99E, and ANISOVICH 01F.

 **$\omega(1960) \quad I^G(J^{PC}) = 0^-(1^{--})$** 

MASS (MeV)	WIDTH (MeV)	DOCUMENT ID	TECN	COMMENT
$1960 \pm 25$	$195 \pm 60$	<sup>17</sup> ANISOVICH	02B	SPEC $0.6-1.9 p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$

<sup>17</sup> From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

<b><math>b_1(1960)</math></b>		$I^G(J^{PC}) = 1^+(1^+ -)$			
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
1960 ± 35	230 ± 50	<sup>18</sup> ANISOVICH	02 SPEC	0.6–1.9 $p\bar{p} \rightarrow \omega\pi^0, \omega\eta\pi^0, \pi^+\pi^-$	

<sup>18</sup> From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

<b><math>h_1(1965)</math></b>		$I^G(J^{PC}) = 0^-(1^+ -)$			
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
1965 ± 45	345 ± 75	<sup>19</sup> ANISOVICH	02B SPEC	0.6–1.9 $p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$	

<sup>19</sup> From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

<b><math>f_1(1970)</math></b>		$I^G(J^{PC}) = 0^+(1^+ +)$			
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
1971 ± 15	240 ± 45	ANISOVICH	00J SPEC		

<b><math>X(1970)</math></b>		$I^G(J^{PC}) = ??(???)$			
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
1970 ± 10	40 ± 20	CHLIAPNIK...	80 HBC	32 $K^+p \rightarrow 2K_S^0 2\pi X$	

<b><math>X(1975)</math></b>		$I^G(J^{PC}) = ??(???)$			
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1973 ± 15	80	30	CASO	70 HBC	11.2 $\pi^- p \rightarrow \rho 2\pi$

<b><math>\omega_2(1975)</math></b>		$I^G(J^{PC}) = 0^-(2^- -)$			
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
1975 ± 20	175 ± 25	<sup>20</sup> ANISOVICH	02B SPEC	0.6–1.9 $p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$	

<sup>20</sup> From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

<b><math>a_2(1990)</math></b>		$I^G(J^{PC}) = 1^-(2^+ +)$			
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2050 ± 10 ± 40	190 ± 22 ± 100	18k	<sup>21</sup> SCHEGELSKY	06 RVUE	$\gamma\gamma \rightarrow \pi^+\pi^-\pi^0$
2003 ± 10 ± 19	249 ± 23 ± 32		LU	05 B852	18 $\pi^- p \rightarrow \omega\pi^-\pi^0 p$

<sup>21</sup> From analysis of L3 data at 183–209 GeV.

$\Gamma(\gamma\gamma) \Gamma(\pi^+\pi^-\pi^0) / \Gamma(\text{total})$

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
$0.11 \pm 0.04 \pm 0.05$	18k	<sup>22</sup> SCHEGELSKY 06	RVUE	$\gamma\gamma \rightarrow \pi^+\pi^-\pi^0$

<sup>22</sup> From analysis of L3 data at 183–209 GeV.

**$\rho(2000)$**   $I^G(J^{PC}) = 1^+(1^{--})$

MASS (MeV)	WIDTH (MeV)	DOCUMENT ID	TECN	COMMENT
$2000 \pm 30$	$260 \pm 45$	<sup>23</sup> BUGG	04C	RVUE Compilation
$\sim 1988$	$\sim 244$	HASAN	94	RVUE $\bar{p}p \rightarrow \pi\pi$

<sup>23</sup> From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

**$f_2(2000)$**   $I^G(J^{PC}) = 0^+(2^{++})$

MASS (MeV)	WIDTH (MeV)	DOCUMENT ID	TECN	COMMENT
$2001 \pm 10$	$312 \pm 32$	ANISOVICH	00J	SPEC
$\sim 1996$	$\sim 134$	HASAN	94	RVUE $\bar{p}p \rightarrow \pi\pi$

**$X(2000)$**   $I^G(J^{PC}) = 1^-(??^+)$

MASS (MeV)	WIDTH (MeV)	DOCUMENT ID	TECN	CHG	COMMENT
$1964 \pm 35$	$225 \pm 50$	<sup>24</sup> ARMSTRONG 93D	E760		$\bar{p}p \rightarrow 3\pi^0 \rightarrow 6\gamma$
$\sim 2100$	$\sim 500$	<sup>24</sup> ANTIPOV 77	CIBS	-	<sup>25</sup> $\pi^- p \rightarrow \rho\pi^- \rho_3$
$2214 \pm 15$	$355 \pm 21$	<sup>25</sup> BALTAY 77	HBC	0	$15 \pi^- p \rightarrow \Delta^{++} 3\pi$
$2080 \pm 40$	$340 \pm 80$	KALELKAR 75	HBC	+	$15 \pi^+ p \rightarrow \rho\pi^+ \rho_3$

<sup>24</sup> Cannot determine spin to be 3.  
<sup>25</sup> BALTAY 77 favors  $J^P = ,3^+$ .

**$X(2000)$**   $I^G(J^{PC}) = ??(4^{++})$

MASS (MeV)	WIDTH (MeV)	DOCUMENT ID	TECN	COMMENT
$1998 \pm 3 \pm 5$	<15	VLADIMIRSK...03	SPEC	$\pi^- p \rightarrow K_S^0 K_S^0 M M$

**$\eta(2010)$**   $I^G(J^{PC}) = 0^+(0^{-+})$

MASS (MeV)	WIDTH (MeV)	DOCUMENT ID	TECN	COMMENT
$2010^{+35}_{-60}$	$270 \pm 60$	ANISOVICH	00J	SPEC

**$\pi_1(2015)$**   $I^G(J^{PC}) = 1^-(1^{-+})$

MASS (MeV)	WIDTH (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
$2014 \pm 20 \pm 16$	$230 \pm 32 \pm 73$	145k	LU 05	B852	$18 \pi^- p \rightarrow \omega\pi^- \pi^0 p$
$2001 \pm 30 \pm 92$	$333 \pm 52 \pm 49$	69k	KUHN 04	B852	$18 \pi^- p \rightarrow \eta\pi^+ \pi^- \pi^- p$

<b><math>a_0(2020)</math></b>		$I^G(J^{PC}) = 1^-(0^{++})$			
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
2025 ± 30	330 ± 75	ANISOVICH	99C	SPEC	

---

<b><math>X(2020)</math></b>		$I^G(J^{PC}) = ??(???)$			
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
2015 ± 3	10 ± 4	FERRER	99	RVUE	$\pi p \rightarrow p p \bar{p} \pi(\pi)$

---

<b><math>h_3(2025)</math></b>		$I^G(J^{PC}) = 0^-(3^{+-})$			
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
2025 ± 20	145 ± 30	<sup>26</sup> ANISOVICH	02B	SPEC	0.6–1.9 $p \bar{p} \rightarrow \omega \eta, \omega \pi^0 \pi^0$

<sup>26</sup> From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

---

<b><math>b_3(2030)</math></b>		$I^G(J^{PC}) = 1^+(3^{+-})$			
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
2032 ± 12	117 ± 11	<sup>27</sup> ANISOVICH	02	SPEC	0.6–1.9 $p \bar{p} \rightarrow \omega \pi^0, \omega \eta \pi^0, \pi^+ \pi^-$

<sup>27</sup> From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

---

<b><math>a_2(2030)</math></b>		$I^G(J^{PC}) = 1^-(2^{++})$			
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
2030 ± 20	205 ± 30	<sup>28</sup> ANISOVICH	01F	SPEC	1.96–2.41 $\bar{p} p$

<sup>28</sup> From the combined analysis of ANISOVICH 99C, ANISOVICH 99E, and ANISOVICH 01F.

---

<b><math>a_3(2030)</math></b>		$I^G(J^{PC}) = 1^-(3^{++})$			
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
2031 ± 12	150 ± 18	<sup>29</sup> ANISOVICH	01F	SPEC	1.96–2.41 $\bar{p} p$

<sup>29</sup> From the combined analysis of ANISOVICH 99C, ANISOVICH 99E, and ANISOVICH 01F.

---

<b><math>\eta_2(2030)</math></b>		$I^G(J^{PC}) = 0^+(2^{-+})$			
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
2030 ± 5 ± 15	205 ± 10 ± 15	ANISOVICH	00E	SPEC	

<b><math>B(a_2 \pi)_{L=0}/B(a_2 \pi)_{L=2}</math></b>					
<u>VALUE</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.05 ± 0.03		<sup>30</sup> ANISOVICH	11	SPEC	0.9–1.94 $p \bar{p}$

<sup>30</sup> Reanalysis of ADOMEIT 96 and ANISOVICH 00E.

<b><math>B(a_0 \pi)/B(a_2 \pi)_{L=2}</math></b>					
<u>VALUE</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.10 ± 0.08		<sup>31</sup> ANISOVICH	11	SPEC	0.9–1.94 $p \bar{p}$

<sup>31</sup> Reanalysis of ADOMEIT 96 and ANISOVICH 00E.

**$B(f_2\eta)/B(a_2\pi)_{L=2}$**

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.13±0.06	<sup>32</sup> ANISOVICH	11	SPEC 0.9–1.94 $p\bar{p}$
<sup>32</sup> Reanalysis of ADOMEIT 96 and ANISOVICH 00E.			

**$f_3(2050)$**   $I^G(J^{PC}) = 0^+(3^{++})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2048±8	213 ± 34	ANISOVICH	00J	SPEC 2.0 $p\bar{p} \rightarrow \eta\pi^0\pi^0$

**$f_0(2060)$**   $I^G(J^{PC}) = 0^+(0^{++})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
~ 2050	~ 120	<sup>33</sup> OAKDEN	94	RVUE 0.36–1.55 $\bar{p}p \rightarrow \pi\pi$
~ 2060	~ 50	<sup>33</sup> OAKDEN	94	RVUE 0.36–1.55 $\bar{p}p \rightarrow \pi\pi$
<sup>33</sup> See SEMENOV 99 and KLOET 96.				

**$\pi(2070)$**   $I^G(J^{PC}) = 1^-(0^{-+})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2070±35	310 <sup>+100</sup> <sub>-50</sub>	ANISOVICH	01F	SPEC 2.0 $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta, \pi^0\eta'$

**$X(2075)$**   $I^G(J^{PC}) = ?^?(?^{??})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2075±12±5	90 ± 35 ± 9	<sup>34</sup> ABLIKIM	04J	BES2 $J/\psi \rightarrow K^- p\bar{\Lambda}$
<sup>34</sup> From a fit in the region $M_{p\bar{\Lambda}} - M_p - M_{\Lambda} < 150$ MeV. S-wave in the $p\bar{\Lambda}$ system preferred.				
A similar near-threshold enhancement in the $p\bar{\Lambda}$ system is observed in $B^+ \rightarrow p\bar{\Lambda}\bar{D}^0$ by CHEN 11F.				

**$X(2080)$**   $I^G(J^{PC}) = ?^?(?^{??})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2080±10	110 ± 20	KREYMER	80	STRC 13 $\pi^- d \rightarrow p\bar{p}n(n_s)$

**$X(2080)$**   $I^G(J^{PC}) = ?^?(3^{-?})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2080±10	190 ± 15	ROZANSKA	80	SPRK 18 $\pi^- p \rightarrow p\bar{p}n$

**$a_1(2095)$**   $I^G(J^{PC}) = 1^-(1^{++})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2096±17±121	451 ± 41 ± 81	69k	KUHN	04	B852 18 $\pi^- p \rightarrow \eta\pi^+\pi^-\pi^-p$



**$B(a_1(2095) \rightarrow f_1(1285)\pi) / B(a_1(2095) \rightarrow a_1(1260))$**

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3.18±0.64	69k	KUHN	04 B852	18 $\pi^- p \rightarrow \eta\pi^+\pi^-\pi^-p$

**$\eta(2100)$   $I^G(J^{PC}) = 0^+(0^{-+})$**

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2050 <sup>+30+75</sup> <sub>-24-26</sub>	250 <sup>+36+181</sup> <sub>-30-164</sub>		35 ABLIKIM	16N BES3	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$
2103±50	187 ± 75	586	36 BISELLO	89B DM2	$J/\psi \rightarrow 4\pi\gamma$

<sup>35</sup> From a partial wave analysis of  $J/\psi \rightarrow \gamma\phi\phi$ , for which the primary signal is  $\eta(2225) \rightarrow \phi\phi$ , and that also finds significant signals for for  $0^{-+}$  phase space,  $f_0(2100)$ ,  $f_2(2010)$ ,  $f_2(2300)$ ,  $f_2(2340)$ , and a previously unseen  $0^{-+}$  state  $X(2500)$  ( $M = 2470^{+15+101}$ <sub>-19-23</sub> MeV,  $\Gamma = 230^{+64+56}$ <sub>-35-33</sub> MeV).

<sup>36</sup> ASTON 81B sees no peak, has 850 events in Ajinenko+Barth bins. ARESTOV 80 sees no peak.

**$X(2100)$   $I^G(J^{PC}) = ??(0^{??})$**

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2100±40	250 ± 40	ALDE	86D GAM4	100 $\pi^- p \rightarrow 2\eta X$

**$X(2110)$   $I^G(J^{PC}) = 1^+(3^{-?})$**

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2110±10	330 ± 20	EVANGELIS...	79 OMEG	10,16 $\pi^- p \rightarrow \bar{p}pn$

**$f_2(2140)$   $I^G(J^{PC}) = 0^+(2^{++})$**

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2141±12	49 ± 28	389	GREEN	86 MPSF	400 $pA \rightarrow 4KX$

**$X(2150)$   $I^G(J^{PC}) = ??(2^{+?})$**

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2150±10	260 ± 10	ROZANSKA	80 SPRK	18 $\pi^- p \rightarrow p\bar{p}n$

**$a_2(2175)$   $I^G(J^{PC}) = 1^-(2^{++})$**

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2175±40	310 <sup>+90</sup> <sub>-45</sub>	ANISOVICH	01F SPEC	2.0 $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta, \pi^0\eta'$

**$\eta(2190)$   $I^G(J^{PC}) = 0^+(0^{-+})$**

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2190±50	850 ± 100	BUGG	99 BES	

**$\omega_2(2195)$**   $I^G(J^{PC}) = 0^-(2^{--})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2195 ± 30	225 ± 40	<sup>37</sup> ANISOVICH	02B SPEC	0.6–1.9 $p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$

<sup>37</sup> From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

**$\omega(2205)$**   $I^G(J^{PC}) = 0^-(1^{--})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2205 ± 30	350 ± 90	<sup>38</sup> ANISOVICH	02B SPEC	0.6–1.9 $p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$

<sup>38</sup> From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

**$X(2210)$**   $I^G(J^{PC}) = ??(???)$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2210 <sup>+79</sup> <sub>-21</sub>	203 <sup>+437</sup> <sub>-87</sub>	EVANGELIS...	79B OMEG 10	$\pi^- p \rightarrow K^+ K^- n$

**$X(2210)$**   $I^G(J^{PC}) = ??(???)$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2207 ± 22	130	CASO	70 HBC	11.2 $\pi^- p$

**$h_1(2215)$**   $I^G(J^{PC}) = 0^-(1^{+-})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2215 ± 40	325 ± 55	<sup>39</sup> ANISOVICH	02B SPEC	0.6–1.9 $p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$

<sup>39</sup> From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

**$\rho_2(2225)$**   $I^G(J^{PC}) = 1^+(2^{--})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2225 ± 35	335 <sup>+100</sup> <sub>-50</sub>	<sup>40</sup> ANISOVICH	02 SPEC	0.6–1.9 $p\bar{p} \rightarrow \omega\pi^0, \omega\eta\pi^0, \pi^+\pi^-$

<sup>40</sup> From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

**$\rho_4(2230)$**   $I^G(J^{PC}) = 1^+(4^{--})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2230 ± 25	210 ± 30	<sup>41</sup> ANISOVICH	02 SPEC	0.6–1.9 $p\bar{p} \rightarrow \omega\pi^0, \omega\eta\pi^0, \pi^+\pi^-$

<sup>41</sup> From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

**$b_1(2240)$**   $I^G(J^{PC}) = 1^+(1^{+-})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2240 ± 35	320 ± 85	<sup>42</sup> ANISOVICH	02 SPEC	0.6–1.9 $p\bar{p} \rightarrow \omega\pi^0, \omega\eta\pi^0, \pi^+\pi^-$

<sup>42</sup> From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

---

**$f_2(2240)$**   $I^G(J^{PC}) = 0^+(2^{++})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$2240 \pm 15$	$241 \pm 30$	<sup>43</sup> ANISOVICH 00J	SPEC	1.92–2.41 $\rho\bar{p}$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$\sim 2226$	$\sim 226$	HASAN 94	RVUE	$\rho\bar{p} \rightarrow \pi\pi$

<sup>43</sup> From the combined analysis of ANISOVICH 99C, ANISOVICH 99F, ANISOVICH 99J, ANISOVICH 99K, and ANISOVICH 00B. See also ANISOVICH 12.

---

**$b_3(2245)$**   $I^G(J^{PC}) = 1^+(3^{+-})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
$2245 \pm 50$	$320 \pm 70$	<sup>44</sup> BUGG 04C	RVUE

<sup>44</sup> From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

---

**$\eta_2(2250)$**   $I^G(J^{PC}) = 0^+(2^{-+})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
$2248 \pm 20$	$280 \pm 20$	ANISOVICH 00I	SPEC
$2267 \pm 14$	$290 \pm 50$	ANISOVICH 00J	SPEC

---

**$\pi_4(2250)$**   $I^G(J^{PC}) = 1^-(4^{-+})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$2250 \pm 15$	$215 \pm 25$	ANISOVICH 01F	SPEC	$2.0 \bar{p}p \rightarrow 3\pi^0, \pi^0\eta, \pi^0\eta'$

---

**$\omega_4(2250)$**   $I^G(J^{PC}) = 0^-(4^{--})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$2250 \pm 30$	$150 \pm 50$	<sup>45</sup> ANISOVICH 02B	SPEC	$0.6\text{--}1.9 \rho\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$

<sup>45</sup> From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

---

**$\omega_5(2250)$**   $I^G(J^{PC}) = 0^-(5^{--})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
$2250 \pm 70$	$320 \pm 95$	<sup>46</sup> BUGG 04	RVUE

<sup>46</sup> From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

---

**$\omega_3(2255)$**   $I^G(J^{PC}) = 0^-(3^{--})$

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$2255 \pm 15$	$175 \pm 30$	<sup>47</sup> ANISOVICH 02B	SPEC	$0.6\text{--}1.9 \rho\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$

<sup>47</sup> From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

<b><math>a_4(2255)</math> <math>I^G(J^{PC}) = 1^-(4^{++})</math></b>					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
$2237 \pm 5$	$291 \pm 12$	UMAN	06	E835	$5.2 \bar{p}p \rightarrow \eta\eta\pi^0$
$2255 \pm 40$	$330^{+110}_{-50}$	<sup>48</sup> ANISOVICH	01F	SPEC	$1.96\text{--}2.41 \bar{p}p$

<sup>48</sup> From the combined analysis of ANISOVICH 99C, ANISOVICH 99E, and ANISOVICH 01F.

<b><math>a_2(2255)</math> <math>I^G(J^{PC}) = 1^-(2^{++})</math></b>					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
$2255 \pm 20$	$230 \pm 15$	<sup>49</sup> ANISOVICH	01G	SPEC	$1.96\text{--}2.41 \bar{p}p$

<sup>49</sup> From the combined analysis of ANISOVICH 99C, ANISOVICH 99E, ANISOVICH 01F, and ANISOVICH 01G.

<b><math>X(2260)</math> <math>I^G(J^{PC}) = 0^+(4^{+?})</math></b>					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
$2260 \pm 20$	$400 \pm 100$	EVANGELIS...	79	OMEG	$10,16 \pi^- p \rightarrow \bar{p}pn$

<b><math>\rho(2270)</math> <math>I^G(J^{PC}) = 1^+(1^{--})</math></b>					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
$2265 \pm 40$	$325 \pm 80$	<sup>50</sup> ANISOVICH	02	SPEC	$0.6\text{--}1.9 p\bar{p} \rightarrow \omega\pi^0, \omega\eta\pi^0, \pi^+\pi^-$
$2280 \pm 50$	$440 \pm 110$	ATKINSON	85	OMEG	$20\text{--}70 \gamma p \rightarrow p\omega\pi^+\pi^-\pi^0$

<sup>50</sup> From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

<b><math>a_1(2270)</math> <math>I^G(J^{PC}) = 1^-(1^{++})</math></b>					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
$2270^{+55}_{-40}$	$305^{+70}_{-40}$	ANISOVICH	01F	SPEC	$2.0 \bar{p}p \rightarrow 3\pi^0, \pi^0\eta, \pi^0\eta'$

<b><math>h_3(2275)</math> <math>I^G(J^{PC}) = 0^-(3^{+-})</math></b>					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
$2275 \pm 25$	$190 \pm 45$	<sup>51</sup> ANISOVICH	02B	SPEC	$0.6\text{--}1.9 p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$

<sup>51</sup> From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

<b><math>a_3(2275)</math> <math>I^G(J^{PC}) = 1^-(3^{++})</math></b>					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
$2275 \pm 35$	$350^{+100}_{-50}$	<sup>52</sup> ANISOVICH	01G	SPEC	$1.96\text{--}2.41 \bar{p}p$

<sup>52</sup>From the combined analysis of ANISOVICH 99C, ANISOVICH 99E, ANISOVICH 01F, and ANISOVICH 01G.

---

<b><math>\pi_2(2285)</math></b>		$I^G(J^{PC}) = 1^-(2^-+)$		
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2285±20±25	250 ± 20 ± 25	<sup>53</sup> ANISOVICH	11	SPEC 0.9–1.94 $p\bar{p}$

<sup>53</sup>Reanalysis of ADOMEIT 96 and ANISOVICH 00E.

---

<b><math>\omega_3(2285)</math></b>		$I^G(J^{PC}) = 0^-(3^{--})$		
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2278±28	224 ± 50	<sup>54</sup> BUGG	04A	RVUE
2285±60	230 ± 40	<sup>55</sup> ANISOVICH	02B	SPEC 0.6–1.9 $p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$

<sup>54</sup>Partial wave analysis of the data on  $p\bar{p} \rightarrow \bar{\Lambda}\Lambda$  from BARNES 00.  
<sup>55</sup>From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

---

<b><math>\omega(2290)</math></b>		$I^G(J^{PC}) = 0^-(1^{--})$		
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2290±20	275 ± 35	<sup>56</sup> BUGG	04A	RVUE

<sup>56</sup>Partial wave analysis of the data on  $p\bar{p} \rightarrow \bar{\Lambda}\Lambda$  from BARNES 00.

---

<b><math>f_2(2295)</math></b>		$I^G(J^{PC}) = 0^+(2^{++})$		
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2293±13	216 ± 37	<sup>57</sup> ANISOVICH	00J	SPEC 1.92–2.41 $p\bar{p}$

<sup>57</sup>From the combined analysis of ANISOVICH 99C, ANISOVICH 99F, ANISOVICH 99J, ANISOVICH 99K, and ANISOVICH 00B. See also ANISOVICH 12.

---

<b><math>f_3(2300)</math></b>		$I^G(J^{PC}) = 0^+(3^{++})$		
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2334±25	200 ± 20	<sup>58</sup> BUGG	04A	RVUE

<sup>58</sup>Partial wave analysis of the data on  $p\bar{p} \rightarrow \bar{\Lambda}\Lambda$  from BARNES 00.

---

<b><math>f_1(2310)</math></b>		$I^G(J^{PC}) = 0^+(1^{++})$		
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2310±60	255 ± 70	ANISOVICH	00J	SPEC

---

<b><math>\eta(2320)</math></b>		$I^G(J^{PC}) = 0^+(0^{-+})$		
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2320±15	230 ± 35	<sup>59</sup> ANISOVICH	00M	SPEC

<sup>59</sup> From the combined analysis of  $\bar{p}p \rightarrow \eta\eta\eta$  from ANISOVICH 00M and  $\bar{p}p \rightarrow \eta\pi^0\pi^0$  from ANISOVICH 00J.

---

<b><math>\eta_4(2330)</math> <math>I^G(J^{PC}) = 0^+(4^-+)</math></b>					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
2328 ± 38	240 ± 90	ANISOVICH	00J	SPEC	2.0 $p\bar{p} \rightarrow \eta\pi^0\pi^0$

---

<b><math>\omega(2330)</math> <math>I^G(J^{PC}) = 0^-(1^{--})</math></b>					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
2330 ± 30	435 ± 75	ATKINSON	88	OMEG	25-50 $\gamma p \rightarrow \rho^\pm \rho^0 \pi^\mp$

---

<b><math>X(2340)</math> <math>I^G(J^{PC}) = ??(???)</math></b>					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2340 ± 20	180 ± 60	126	<sup>60</sup> BALTAY	75	HBC 15 $\pi^+ p \rightarrow p 5\pi$
<sup>60</sup> Dominant decay into $\rho^0 \rho^0 \pi^+$ . BALTAY 78 finds confirmation in $2\pi^+ \pi^- 2\pi^0$ events which contain $\rho^+ \rho^0 \pi^0$ and $2\rho^+ \pi^-$ .					

---

<b><math>\pi(2360)</math> <math>I^G(J^{PC}) = 1^-(0^-+)</math></b>					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
2360 ± 25	$300^{+100}_{-50}$	ANISOVICH	01F	SPEC	2.0 $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta, \pi^0\eta'$

---

<b><math>X(2360)</math> <math>I^G(J^{PC}) = ??(4+?)</math></b>					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
2360 ± 10	430 ± 30	ROZANSKA	80	SPRK	18 $\pi^- p \rightarrow p\bar{p}n$

---

<b><math>X(2440)</math> <math>I^G(J^{PC}) = ??(5-?)</math></b>					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
2440 ± 10	310 ± 20	ROZANSKA	80	SPRK	18 $\pi^- p \rightarrow p\bar{p}n$

---

<b><math>a_6(2450)</math> <math>I^G(J^{PC}) = 1^-(6^{++})</math></b>					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
2450 ± 130	400 ± 250	CLELAND	82B	SPEC	50 $\pi p \rightarrow K_S^0 K^\pm p$

---

<b><math>X(2540)</math> <math>I^G(J^{PC}) = 0^+(0^{++})</math></b>					
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
2539 ± 14 $^{+38}_{-14}$	274 $^{+77+126}_{-61-163}$	UEHARA	13	BELL	$\gamma\gamma \rightarrow K_S^0 K_S^0$

$\Gamma(\gamma\gamma) \times B(K\bar{K})$ 

<u>VALUE (eV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$40^{+9+17}_{-7-40}$	UEHARA 13	BELL	$\gamma\gamma \rightarrow K_S^0 K_S^0$

**X(2632)**  $I^G(J^{PC}) = ?^?(?^{??})$ 

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$2635.2 \pm 3.3$		<sup>61</sup> EVDOKIMOV 04	SELX	$X(2632) \rightarrow D_S^+ \eta$
$2631.6 \pm 2.1$	< 17	<sup>62</sup> EVDOKIMOV 04	SELX	$X(2632) \rightarrow D_S^0 K^+$

<sup>61</sup> From a mass difference to  $D_S^+$  of  $666.9 \pm 3.3$  MeV.

<sup>62</sup> From a mass difference to  $D_S^0$  of  $767.0 \pm 2.0$  MeV.

**B(X(2632)  $\rightarrow D_S^0 K^+$ )/B(X(2632)  $\rightarrow D_S^+ \eta$ )**

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
$0.14 \pm 0.06$	<sup>63</sup> EVDOKIMOV 04	SELX

<sup>63</sup> Possible interpretation of this decay pattern is discussed by YASUI 07.

**X(2680)**  $I^G(J^{PC}) = ?^?(?^{??})$ 

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$2676 \pm 27$	150	CASO 70	HBC	$11.2 \pi^- p \rightarrow \rho^- \pi^+ \pi^- p$

**X(2710)**  $I^G(J^{PC}) = ?^?(6^{+?})$ 

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$2710 \pm 20$	$170 \pm 40$	ROZANSKA 80	SPRK	$18 \pi^- p \rightarrow p \bar{p} n$

**X(2750)**  $I^G(J^{PC}) = ?^?(7^{-?})$ 

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$2747 \pm 32$	$195 \pm 75$	DENNEY 83	LASS	$10 \pi^+ p \rightarrow K^+ K^- \pi^+ p$

**f<sub>6</sub>(3100)**  $I^G(J^{PC}) = 0^+(6^{++})$ 

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$3100 \pm 100$	$700 \pm 130$	BINON 05	GAMS	$33 \pi^- p \rightarrow \eta \eta n$

**X(3250)**  $I^G(J^{PC}) = ?^?(?^{??})$  3-Body Decays

<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$3250 \pm 8 \pm 20$	$45 \pm 18$	ALEEV 93	BIS2	$X(3250) \rightarrow \Lambda \bar{p} K^+$
$3265 \pm 7 \pm 20$	$40 \pm 18$	ALEEV 93	BIS2	$X(3250) \rightarrow \bar{\Lambda} p K^-$

<b>X(3250)</b>		$I^G(J^{PC}) = ??(???)$ 4-Body Decays			
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
3245 ± 8 ± 20	25 ± 11	ALEEV 93	BIS2	X(3250) → Λ $\bar{p}$ K <sup>+</sup> π <sup>±</sup>	
3250 ± 9 ± 20	50 ± 20	ALEEV 93	BIS2	X(3250) → $\bar{\Lambda}p$ K <sup>-</sup> π <sup>∓</sup>	
3270 ± 8 ± 20	25 ± 11	ALEEV 93	BIS2	X(3250) → K <sub>S</sub> <sup>0</sup> ρ $\bar{p}$ K <sup>±</sup>	

<b>X(3350)</b>		$I^G(J^{PC}) = ??(???)$			
<u>MASS (MeV)</u>	<u>WIDTH (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3350 <sup>+10</sup> <sub>-20</sub> ± 20	70 <sup>+40</sup> <sub>-30</sub> ± 40	50 ± 10	<sup>64</sup> GABYSHEV	06A	BELL B <sup>-</sup> → Λ <sub>c</sub> <sup>+</sup> $\bar{p}$ π <sup>-</sup>

<sup>64</sup>A similar enhancement in the Λ<sub>c</sub><sup>+</sup> $\bar{p}$  final state is also reported by BABAR collaboration in AUBERT 10H.

### REFERENCES for Further States

ABLIKIM 16N	PR D93 112011	M. Ablikim	(BES III Collab.)
ABLIKIM 13J	PR D87 032008	M. Ablikim <i>et al.</i>	(BES III Collab.)
UEHARA 13	PTEP 2013 123C01	S. Uehara <i>et al.</i>	(BELLE Collab.)
ANISOVICH 12	PR D85 014001	A.V. Anisovich <i>et al.</i>	
ANASHIN 11	PL B703 543	V.V. Anashin <i>et al.</i>	(KEDR Collab.)
ANISOVICH 11	EPJ C71 1511	A.V. Anisovich <i>et al.</i>	(LOQM, RAL, PNPI)
CHEN 11F	PR D84 071501	P. Chen <i>et al.</i>	(BELLE Collab.)
AUBERT 10H	PR D82 031102	B. Aubert <i>et al.</i>	(BABAR Collab.)
ABRAAMYAN 09	PR C80 034001	Kh.U. Abraamyan <i>et al.</i>	
LIU 09	PR D79 071102	C. Liu <i>et al.</i>	(BELLE Collab.)
VLADIMIRSK... 08	PAN 71 2129	V.V. Vladimirovsky <i>et al.</i>	(ITEP)
	Translated from YAF 71 2166.		
VLADIMIRSK... 07	PAN 70 1706	V. Vladimirovsky <i>et al.</i>	
	Translated from YAF 70 1751.		
YASUI 07	PR D76 034009	S. Yasui, M. Oka	
ABLIKIM 06J	PRL 96 162002	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 06S	PRL 97 142002	M. Ablikim <i>et al.</i>	(BES Collab.)
GABYSHEV 06A	PRL 97 242001	N. Gabyshev <i>et al.</i>	(BELLE Collab.)
SCHEGELSKY 06	EPJ A27 199	V.A. Schegelsky <i>et al.</i>	
SCHEGELSKY 06A	EPJ A27 207	V.A. Schegelsky <i>et al.</i>	
UMAN 06	PR D73 052009	I. Uman <i>et al.</i>	(FNAL E835)
VLADIMIRSK... 06	PAN 69 493	V.V. Vladimirovsky <i>et al.</i>	(ITEP, Moscow)
	Translated from YAF 69 515.		
BINON 05	PAN 68 960	F. Binon <i>et al.</i>	
	Translated from YAF 68 998.		
GRIGOR'EV 05	PAN 68 1271	V.K. Grigor'ev <i>et al.</i>	(ITEP)
	Translated from YAF 68 1324.		
LU 05	PRL 94 032002	M. Lu <i>et al.</i>	(BNL E852 Collab.)
ABLIKIM 04J	PRL 93 112002	M. Ablikim <i>et al.</i>	(BES Collab.)
BUGG 04	PL B595 556 (errata.)	D.V. Bugg	
BUGG 04A	EPJ C36 161	D.V. Bugg	
BUGG 04C	PRPL 397 257	D.V. Bugg	
EVDOKIMOV 04	PRL 93 242001	A.V. Evdokimov <i>et al.</i>	(SELEX Collab.)
KUHN 04	PL B595 109	J. Kuhn <i>et al.</i>	(BNL E852 Collab.)
ANISOVICH 03	EPJ A16 229	V.V. Anisovich <i>et al.</i>	
VLADIMIRSK... 03	PAN 66 700	V.V. Vladimirovsky <i>et al.</i>	
	Translated from YAF 66 729.		
ANISOVICH 02	PL B542 8	A.V. Anisovich <i>et al.</i>	
ANISOVICH 02B	PL B542 19	A.V. Anisovich <i>et al.</i>	
CHUNG 02	PR D65 072001	S.U. Chung <i>et al.</i>	(BNL E852 Collab.)
LINK 02K	PL B545 50	J.M. Link <i>et al.</i>	(FNAL FOCUS Collab.)
ANISOVICH 01C	PL B507 23	A.V. Anisovich <i>et al.</i>	
ANISOVICH 01D	PL B508 6	A.V. Anisovich <i>et al.</i>	
ANISOVICH 01E	PL B513 281	A.V. Anisovich <i>et al.</i>	
ANISOVICH 01F	PL B517 261	A.V. Anisovich <i>et al.</i>	
ANISOVICH 01G	PL B517 273	A.V. Anisovich <i>et al.</i>	
ANISOVICH 00B	NP A662 319	A.V. Anisovich <i>et al.</i>	
ANISOVICH 00D	PL B476 15	A.V. Anisovich <i>et al.</i>	
ANISOVICH 00E	PL B477 19	A.V. Anisovich <i>et al.</i>	



ANISOVICH	00I	PL B491 40	A.V. Anisovich <i>et al.</i>	
ANISOVICH	00J	PL B491 47	A.V. Anisovich <i>et al.</i>	(RAL, LOQM, PNPI+)
ANISOVICH	00M	PL B496 145	A.V. Anisovich <i>et al.</i>	
BARNES	00	PR C62 055203	P.D. Barnes <i>et al.</i>	
FILIPPI	00	PL B495 284	A. Filippi <i>et al.</i>	(OBELIX Experiment)
VLADIMIRSKII	00	JETPL 72 486	V.V. Vladimirkii <i>et al.</i>	
		Translated from ZETFP 72 698.		
ANISOVICH	99C	PL B452 173	A.V. Anisovich <i>et al.</i>	
ANISOVICH	99E	PL B452 187	A.V. Anisovich <i>et al.</i>	
ANISOVICH	99F	NP A651 253	A.V. Anisovich <i>et al.</i>	
ANISOVICH	99J	PL B471 271	A.V. Anisovich <i>et al.</i>	
ANISOVICH	99K	PL B468 309	A.V. Anisovich <i>et al.</i>	
BUGG	99	PL B458 511	D.V. Bugg <i>et al.</i>	
FERRER	99	EPJ C10 249	A. Ferrer <i>et al.</i>	
SEMENOV	99	SPU 42 847	S.V. Semenov	
		Translated from UFN 42 937.		
ADOMEIT	96	ZPHY C71 227	J. Adomeit <i>et al.</i>	(Crystal Barrel Collab.)
KLOET	96	PR D53 6120	W.M. Kloet, F. Myhrer	(RUTG, NORD)
PROKOSHKIN	96	PD 41 247	Y.D. Prokoshkin, V.D. Samoilenko	(SERP)
		Translated from DANS 348 481.		
HASAN	94	PL B334 215	A. Hasan, D.V. Bugg	(LOQM)
OAKDEN	94	NP A574 731	M.N. Oakden, M.R. Pennington	(DURH)
ALEEV	93	PAN 56 1358	A.N. Aleev <i>et al.</i>	(BIS-2 Collab.)
		Translated from YAF 56 100.		
ARMSTRONG	93D	PL B307 399	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
ALBRECHT	91F	ZPHY C50 1	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
CONDO	91	PR D43 2787	G.T. Condo <i>et al.</i>	(SLAC Hybrid Collab.)
BISELLO	89B	PR D39 701	G. Busetto <i>et al.</i>	(DM2 Collab.)
ATKINSON	88	ZPHY C38 535	M. Atkinson <i>et al.</i>	(BONN, CERN, GLAS+)
DAFTARI	87	PRL 58 859	I.K. Daftari <i>et al.</i>	(SYRA)
ALDE	86D	NP B269 485	D.M. Alde <i>et al.</i>	(BELG, LAPP, SERP, CERN+)
BRIDGES	86D	PL B180 313	D.L. Bridges <i>et al.</i>	(SYRA, BNL, CASE+)
GREEN	86	PRL 56 1639	D.R. Green <i>et al.</i>	(FNAL, ARIZ, FSU+)
ATKINSON	85	ZPHY C29 333	M. Atkinson <i>et al.</i>	(BONN, CERN, GLAS+)
DENNEY	83	PR D28 2726	D.L. Denney <i>et al.</i>	(IOWA, MICH)
CLELAND	82B	NP B208 228	W.E. Cleland <i>et al.</i>	(DURH, GEVA, LAUS+)
ASTON	81B	NP B189 205	D. Aston <i>et al.</i>	(BONN, CERN, EPOL, GLAS+)
ARESTOV	80	IHEP 80-165	Y.I. Arestov <i>et al.</i>	(SERP)
CHLIAPNIK...	80	ZPHY C3 285	P.V. Chliapnikov <i>et al.</i>	(SERP, BRUX, MONS)
KREYMER	80	PR D22 36	A.E. Kreymer <i>et al.</i>	(IND, PURD, SLAC+)
ROZANSKA	80	NP B162 505	M. Rozanska <i>et al.</i>	(MPIM, CERN)
EVANGELIS...	79	NP B153 253	C. Evangelista <i>et al.</i>	(BARI, BONN, CERN+)
EVANGELIS...	79B	NP B154 381	C. Evangelista <i>et al.</i>	(BARI, BONN, CERN+)
BALTAY	78	PR D17 52	C. Baltay <i>et al.</i>	(COLU, BING)
ANTIPOV	77	NP B119 45	Y.M. Antipov <i>et al.</i>	(SERP, GEVA)
BALTAY	77	PRL 39 591	C. Baltay, C.V. Cautis, M. Kalelkar	(COLU)
BALTAY	75	PRL 35 891	C. Baltay <i>et al.</i>	(COLU, BING)
KALELKAR	75	Thesis Nevis 207	M.S. Kalelkar	(COLU)
CASO	70	LNC 3 707	C. Caso <i>et al.</i>	(GENO, HAMB, MILA, SACL)