

**$N(1440)$   $1/2^+$**  $I(J^P) = \frac{1}{2}(\frac{1}{2}^+)$  Status: \*\*\*

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

 **$N(1440)$  POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1360 to 1380 (<math>\approx 1370</math>) OUR ESTIMATE</b>			
1369 $\pm$ 3	SOKHOYAN	15A	DPWA Multichannel
1363 $\pm$ 2 $\pm$ 2	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
1375 $\pm$ 30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1360	HUNT	19	DPWA Multichannel
1355	ROENCHEN	15A	DPWA Multichannel
1386	SHKLYAR	13	DPWA Multichannel
1370 $\pm$ 4	ANISOVICH	12A	DPWA Multichannel
1363 $\pm$ 11	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1359	ARNNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1383	VRANA	00	DPWA Multichannel
1385	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

**-2xIMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>160 to 190 (<math>\approx 175</math>) OUR ESTIMATE</b>			
189 $\pm$ 5	SOKHOYAN	15A	DPWA Multichannel
180 $\pm$ 4 $\pm$ 5	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
180 $\pm$ 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
186	HUNT	19	DPWA Multichannel
215	ROENCHEN	15A	DPWA Multichannel
277	SHKLYAR	13	DPWA Multichannel
190 $\pm$ 7	ANISOVICH	12A	DPWA Multichannel
151 $\pm$ 13	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
162	ARNNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
316	VRANA	00	DPWA Multichannel
164	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

 **$N(1440)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>46 to 54 (<math>\approx 50</math>) OUR ESTIMATE</b>			
49 $\pm$ 3	SOKHOYAN	15A	DPWA Multichannel
50 $\pm$ 1 $\pm$ 2	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
52 $\pm$ 5	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

62	ROENCHEN	15A	DPWA	Multichannel
126	SHKLYAR	13	DPWA	Multichannel
48±3	ANISOVICH	12A	DPWA	Multichannel
44	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
38	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
40	HOEHLER	93	SPED	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## PHASE $\theta$

VALUE (°)	DOCUMENT ID	TECN	COMMENT
-----------	-------------	------	---------

### -100 to -80 ( $\approx -90$ ) OUR ESTIMATE

- 82± 5	SOKHOYAN	15A	DPWA	Multichannel
- 88± 1±2	<sup>1</sup> SVARC	14	L+P	$\pi N \rightarrow \pi N$
- 100±35	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

- 98	ROENCHEN	15A	DPWA	Multichannel
- 60	SHKLYAR	13	DPWA	Multichannel
- 78± 4	ANISOVICH	12A	DPWA	Multichannel
- 88	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
- 98	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## N(1440) INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

### Normalized residue in $N\pi \rightarrow N(1440) \rightarrow N\eta$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
---------	-----------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.078	-27	ROENCHEN	15A	DPWA	Multichannel
-------	-----	----------	-----	------	--------------

### Normalized residue in $N\pi \rightarrow N(1440) \rightarrow \Delta\pi, P\text{-wave}$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT	
0.27±0.02	38 ± 5	SOKHOYAN	15A	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.27±0.02	40 ± 5	ANISOVICH	12A	DPWA	Multichannel
-----------	--------	-----------	-----	------	--------------

### Normalized residue in $N\pi \rightarrow N(1440) \rightarrow \Lambda K$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
---------	-----------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.016	145	ROENCHEN	15A	DPWA	Multichannel
-------	-----	----------	-----	------	--------------

### Normalized residue in $N\pi \rightarrow N(1440) \rightarrow \Sigma K$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
---------	-----------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.027	113	ROENCHEN	15A	DPWA	Multichannel
-------	-----	----------	-----	------	--------------

### Normalized residue in $N\pi \rightarrow N(1440) \rightarrow N(\pi\pi)^{I=0}_{S-wave}$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.21 ± 0.04	-136 ± 4	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.21 ± 0.05	-135 ± 7	ANISOVICH	12A	DPWA Multichannel

### $N(1440)$ BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1410 to 1470 (<math>\approx 1440</math>) OUR ESTIMATE</b>			
1417 ± 4	<sup>1</sup> HUNT	19	DPWA Multichannel
1430 ± 10	SOKHOYAN	15A	DPWA Multichannel
1515 ± 15	<sup>1</sup> SHKLYAR	13	DPWA Multichannel
1485.0 ± 1.2	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1440 ± 30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1410 ± 12	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1430 ± 8	ANISOVICH	12A	DPWA Multichannel
1412 ± 2	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
1439 ± 19	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1518 ± 5	PENNER	02C	DPWA Multichannel
1479 ± 80	VRANA	00	DPWA Multichannel

<sup>1</sup> Statistical error only.

### $N(1440)$ BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>250 to 450 (<math>\approx 350</math>) OUR ESTIMATE</b>			
257 ± 11	<sup>1</sup> HUNT	19	DPWA Multichannel
360 ± 30	SOKHOYAN	15A	DPWA Multichannel
605 ± 90	<sup>1</sup> SHKLYAR	13	DPWA Multichannel
284 ± 18	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
340 ± 70	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
135 ± 10	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
365 ± 35	ANISOVICH	12A	DPWA Multichannel
248 ± 5	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
437 ± 141	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
668 ± 41	PENNER	02C	DPWA Multichannel
490 ± 120	VRANA	00	DPWA Multichannel

<sup>1</sup> Statistical error only.

## N(1440) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 N\pi$	55–75 %
$\Gamma_2 N\eta$	<1 %
$\Gamma_3 N\pi\pi$	17–50 %
$\Gamma_4 \Delta(1232)\pi$ , <i>P</i> -wave	6–27 %
$\Gamma_5 N\sigma$	11–23 %
$\Gamma_6 p\gamma$ , helicity=1/2	0.035–0.048 %
$\Gamma_7 n\gamma$ , helicity=1/2	0.02–0.04 %

## N(1440) BRANCHING RATIOS

### $\Gamma(N\pi)/\Gamma_{\text{total}}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT	$\Gamma_1/\Gamma$
<b>55 to 75 (<math>\approx 65</math>) OUR ESTIMATE</b>				
59 $\pm 2$	<sup>1</sup> HUNT	19	DPWA Multichannel	
63 $\pm 2$	SOKHOYAN	15A	DPWA Multichannel	
56 $\pm 2$	<sup>1</sup> SHKLYAR	13	DPWA Multichannel	
78.7 $\pm 1.6$	<sup>1</sup> ARNNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$	
68 $\pm 4$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$	
51 $\pm 5$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
62 $\pm 3$	ANISOVICH	12A	DPWA Multichannel	
64.8 $\pm 0.9$	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel	
62 $\pm 4$	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$	
57 $\pm 1$	PENNER	02C	DPWA Multichannel	
72 $\pm 5$	VRANA	00	DPWA Multichannel	

<sup>1</sup> Statistical error only.

### $\Gamma(N\eta)/\Gamma_{\text{total}}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT	$\Gamma_2/\Gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0 $\pm 1$	VRANA	00	DPWA Multichannel	

### $\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)	DOCUMENT ID	TECN	COMMENT	$\Gamma_4/\Gamma$
<b>6 to 27 (<math>\approx 15</math>) OUR ESTIMATE</b>				
22 $\pm 4$	<sup>1</sup> HUNT	19	DPWA Multichannel	
12 $\pm 5$	SHKLYAR	16	DPWA Multichannel	
20 $\pm 7$	SOKHOYAN	15A	DPWA Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
21 $\pm 8$	ANISOVICH	12A	DPWA Multichannel	
6.5 $\pm 0.8$	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel	

16  $\pm$  1

VRANA 00 DPWA Multichannel

<sup>1</sup> Statistical error only. **$\Gamma(N\sigma)/\Gamma_{\text{total}}$** 

VALUE (%)	DOCUMENT ID	TECN	COMMENT	$\Gamma_5/\Gamma$
16 $\pm$ 3	<sup>1</sup> HUNT	19	DPWA Multichannel	
27 $^{+4}_{-9}$	SHKLYAR	16	DPWA Multichannel	
17 $\pm$ 6	SOKHOYAN	15A	DPWA Multichannel	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
17 $\pm$ 7	ANISOVICH	12A	DPWA Multichannel	
27 $\pm$ 1	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel	
12 $\pm$ 1	VRANA	00	DPWA Multichannel	

<sup>1</sup> Statistical error only.**N(1440) PHOTON DECAY AMPLITUDES AT THE POLE** **$N(1440) \rightarrow p\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

MODULUS ( $\text{GeV}^{-1/2}$ )	PHASE ( $^\circ$ )	DOCUMENT ID	TECN	COMMENT
-0.044 $\pm$ 0.005	-40 $\pm$ 8	SOKHOYAN	15A	DPWA Multichannel
-0.054 $^{+0.004}_{-0.003}$	5 $^{+2}_{-5}$	ROENCHEN	14	DPWA
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
-0.060	-23	ROENCHEN	15A	DPWA Multichannel

**N(1440) BREIT-WIGNER PHOTON DECAY AMPLITUDES** **$N(1440) \rightarrow p\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
<b>-0.080 to -0.050 (<math>\approx -0.065</math>) OUR ESTIMATE</b>			
-0.091 $\pm$ 0.007	<sup>1</sup> HUNT	19	DPWA Multichannel
-0.061 $\pm$ 0.006	SOKHOYAN	15A	DPWA Multichannel
-0.085 $\pm$ 0.003	<sup>1</sup> SHKLYAR	13	DPWA Multichannel
-0.056 $\pm$ 0.001	<sup>1</sup> WORKMAN	12A	DPWA $\gamma N \rightarrow N\pi$
-0.051 $\pm$ 0.002	<sup>1</sup> DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
-0.061 $\pm$ 0.008	ANISOVICH	12A	DPWA Multichannel
-0.084 $\pm$ 0.003	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
-0.061	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
-0.087	PENNER	02D	DPWA Multichannel

<sup>1</sup> Statistical error only. **$N(1440) \rightarrow n\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
<b>0.035 to 0.055 (<math>\approx 0.045</math>) OUR ESTIMATE</b>			
0.013 $\pm$ 0.012	<sup>1</sup> HUNT	19	DPWA Multichannel
0.043 $\pm$ 0.012	ANISOVICH	13B	DPWA Multichannel
0.048 $\pm$ 0.004	<sup>1</sup> CHEN	12A	DPWA $\gamma N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.040±0.005	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
0.054	DRECHSEL	07	DPWA	$\gamma N \rightarrow \pi N$
0.121	PENNER	02D	DPWA	Multichannel

<sup>1</sup> Statistical error only.

---

## N(1440) REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
SHKLYAR	16	PR C93 045206	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
ROENCHEN	14	EPJ A50 101	D. Roenchen <i>et al.</i>	
Also		EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>	
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
CHEN	12A	PR C86 015206	W. Chen <i>et al.</i>	(DUKE, GWU, MSST, ITEP+)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP

---