

$\Delta(1910) 1/2^+$  $I(J^P) = \frac{3}{2}(\frac{1}{2}^+)$  Status: \*\*\*\*

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

 **$\Delta(1910)$  POLE POSITION****REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1830 to 1890 (<math>\approx</math> 1860) OUR ESTIMATE</b>			
1840 $\pm$ 40	SOKHOYAN	15A	DPWA Multichannel
1896 $\pm$ 11	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
1880 $\pm$ 30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1801	HUNT	19	DPWA Multichannel
1799	ROENCHEN	15A	DPWA Multichannel
1840 $\pm$ 40	GUTZ	14	DPWA Multichannel
1850 $\pm$ 40	ANISOVICH	12A	DPWA Multichannel
1771	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1880	VRANA	00	DPWA Multichannel
1874	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

<sup>1</sup>Fit to the amplitudes of HOEHLER 79.

**–2×IMAGINARY PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>200 to 400 (<math>\approx</math> 300) OUR ESTIMATE</b>			
370 $\pm$ 60	SOKHOYAN	15A	DPWA Multichannel
302 $\pm$ 22	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
200 $\pm$ 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
224	HUNT	19	DPWA Multichannel
648	ROENCHEN	15A	DPWA Multichannel
370 $\pm$ 60	GUTZ	14	DPWA Multichannel
350 $\pm$ 45	ANISOVICH	12A	DPWA Multichannel
479	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
496	VRANA	00	DPWA Multichannel
283	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

<sup>1</sup>Fit to the amplitudes of HOEHLER 79.

 **$\Delta(1910)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>20 to 30 (<math>\approx</math> 25) OUR ESTIMATE</b>			
25 $\pm$ 6	SOKHOYAN	15A	DPWA Multichannel
29 $\pm$ 2	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
20 $\pm$ 4	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

90	ROENCHEN	15A	DPWA	Multichannel
25 ± 6	GUTZ	14	DPWA	Multichannel
24 ± 6	ANISOVICH	12A	DPWA	Multichannel
45	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
38	HOEHLER	93	SPED	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

### PHASE $\theta$

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>−180 to −80 (≈ −130) OUR ESTIMATE</b>			
−155 ± 30	SOKHOYAN	15A	DPWA Multichannel
−83 ± 4 ± 1	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
−90 ± 30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

−83	ROENCHEN	15A	DPWA	Multichannel
−155 ± 30	GUTZ	14	DPWA	Multichannel
−145 ± 30	ANISOVICH	12A	DPWA	Multichannel
+172	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## $\Delta(1910)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

### Normalized residue in $N\pi \rightarrow \Delta(1910) \rightarrow \Sigma K$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.07 ± 0.02	−110 ± 30	ANISOVICH	12A	DPWA Multichannel
0.019	−123	ROENCHEN	15A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1910) \rightarrow \Delta\pi, P$ -wave

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.24 ± 0.10	85 ± 35	SOKHOYAN	15A	DPWA Multichannel
0.58	131	ROENCHEN	15A	DPWA Multichannel
0.16 ± 0.09	95 ± 40	ANISOVICH	12A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1910) \rightarrow \Delta(1232)\eta$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.11 ± 0.04	−150 ± 50	GUTZ	14	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1910) \rightarrow N(1440)\pi$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.06 ± 0.03	170 ± 45	SOKHOYAN	15A	DPWA Multichannel

**$\Delta(1910)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1850 to 1950 (<math>\approx 1900</math>) OUR ESTIMATE</b>			
1846 $\pm 18$	<sup>1</sup> HUNT	19	DPWA Multichannel
1845 $\pm 40$	SOKHOYAN	15A	DPWA Multichannel
2067.9 $\pm 1.7$	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1910 $\pm 40$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1888 $\pm 20$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1845 $\pm 40$	GUTZ	14	DPWA Multichannel
1860 $\pm 40$	ANISOVICH	12A	DPWA Multichannel
1934 $\pm 5$	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
1995 $\pm 12$	VRANA	00	DPWA Multichannel
<sup>1</sup> Statistical error only.			

 **$\Delta(1910)$  BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>200 to 400 (<math>\approx 300</math>) OUR ESTIMATE</b>			
260 $\pm 57$	<sup>1</sup> HUNT	19	DPWA Multichannel
360 $\pm 60$	SOKHOYAN	15A	DPWA Multichannel
543 $\pm 10$	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
225 $\pm 50$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
280 $\pm 50$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
360 $\pm 60$	GUTZ	14	DPWA Multichannel
350 $\pm 55$	ANISOVICH	12A	DPWA Multichannel
211 $\pm 11$	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
713 $\pm 465$	VRANA	00	DPWA Multichannel
<sup>1</sup> Statistical error only.			

 **$\Delta(1910)$  DECAY MODES**

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\pi$	10–30%
$\Gamma_2$ $\Sigma K$	4–14%
$\Gamma_3$ $\Delta(1232)\pi$	34–66%
$\Gamma_4$ $N(1440)\pi$	3–45%
$\Gamma_5$ $\Delta(1232)\eta$	5–13%
$\Gamma_6$ $N\gamma$ , helicity=1/2	0.0–0.02 %

**$\Delta(1910)$  BRANCHING RATIOS**

$\Gamma(N\pi)/\Gamma_{\text{total}}$					$\Gamma_1/\Gamma$
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
<b>10–30% OUR ESTIMATE</b>					
13 $\pm$ 3	<sup>1</sup> HUNT	19	DPWA	Multichannel	
12 $\pm$ 3	SOKHOYAN	15A	DPWA	Multichannel	
23.9 $\pm$ 0.1	<sup>1</sup> ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$	
19 $\pm$ 3	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$	
24 $\pm$ 6	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
12 $\pm$ 3	GUTZ	14	DPWA	Multichannel	
12 $\pm$ 3	ANISOVICH	12A	DPWA	Multichannel	
17 $\pm$ 1	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel	
29 $\pm$ 21	VRANA	00	DPWA	Multichannel	

<sup>1</sup>Statistical error only.

$\Gamma(\Sigma K)/\Gamma_{\text{total}}$					$\Gamma_2/\Gamma$
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
<b>4–14% OUR ESTIMATE</b>					
9 $\pm$ 5	ANISOVICH	12A	DPWA	Multichannel	

$\Gamma(\Delta(1232)\pi)/\Gamma_{\text{total}}$					$\Gamma_3/\Gamma$
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
<b>34–66% OUR ESTIMATE</b>					
50 $\pm$ 16	SOKHOYAN	15A	DPWA	Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
60 $\pm$ 28	ANISOVICH	12A	DPWA	Multichannel	

$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$					$\Gamma_4/\Gamma$
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
<b>3–45% OUR ESTIMATE</b>					
33 $\pm$ 12	<sup>1</sup> HUNT	19	DPWA	Multichannel	
6 $\pm$ 3	SOKHOYAN	15A	DPWA	Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
47 $\pm$ 6	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel	
56 $\pm$ 7	VRANA	00	DPWA	Multichannel	

<sup>1</sup>Statistical error only.

$\Gamma(\Delta(1232)\eta)/\Gamma_{\text{total}}$					$\Gamma_5/\Gamma$
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
<b>5–13% OUR ESTIMATE</b>					
9 $\pm$ 4	GUTZ	14	DPWA	Multichannel	

**$\Delta(1910)$  PHOTON DECAY AMPLITUDES AT THE POLE** **$\Delta(1910) \rightarrow N\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

<u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.027 \pm 0.009$	$-30 \pm 60$	SOKHOYAN	15A	DPWA Multichannel
$-0.246^{+0.024}_{-0.047}$	$159^{+9}_{-4}$	ROENCHEN	14	DPWA
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.321	39	ROENCHEN	15A	DPWA Multichannel

 **$\Delta(1910)$  BREIT-WIGNER PHOTON DECAY AMPLITUDES** **$\Delta(1910) \rightarrow N\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

<u>VALUE (<math>\text{GeV}^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.010 to 0.030 (<math>\approx 0.020</math>) OUR ESTIMATE</b>			
$0.203 \pm 0.056$	<sup>1</sup> HUNT	19	DPWA Multichannel
$0.026 \pm 0.008$	SOKHOYAN	15A	DPWA Multichannel
$-0.002 \pm 0.008$	<sup>1</sup> ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$0.026 \pm 0.008$	GUTZ	14	DPWA Multichannel
$0.022 \pm 0.009$	ANISOVICH	12A	DPWA Multichannel
$0.030 \pm 0.002$	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
<sup>1</sup> Statistical error only.			

 **$\Delta(1910)$  REFERENCES**For early references, see Physics Letters **111B** 1 (1982).

HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i> (CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i> (CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i> (PDG Collab.)
ROENCHEN	14	EPJ A50 101	D. Roenchen <i>et al.</i>
Also		EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i> (RBI Zagreb, UNI Tuzla)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i> (BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley (KSU)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i> (GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee (PITT, ANL)
ARNDT	96	PR C53 430	R.A. Arndt, I.I. Strakovsky, R.L. Workman (VPI)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler (KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i> (CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i> (CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i> (KARLT) IJP
Also		Toronto Conf. 3	R. Koch (KARLT) IJP