

$\pi_1(1600)$

$$I^G(J^{PC}) = 1^-(1^-+)$$

See the review on "Spectroscopy of Light Meson Resonances" and a note in PDG 06, Journal of Physics **G33** 1 (2006).

 $\pi_1(1600)$ T-Matrix Pole \sqrt{s}

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
$(1623 \pm 47^{+24}_{-75}) - i(228 \pm 44^{+72}_{-88})$	¹ KOPF	21	RVUE 0.9 $\rho\bar{p} \rightarrow \pi^0\pi^0\eta$, $\pi^0\eta\eta$, $\pi^0K^+K^-$ and 191 $\pi^-p \rightarrow$ $\pi^-\pi^-\pi^+p$
$(1564 \pm 24 \pm 86) - i(246 \pm 27 \pm 51)$	² RODAS	19	JPAC 191 $\pi^-p \rightarrow \eta^{(\prime)}\pi^-p$

¹ From T-matrix pole based on combined fit of Crystal Barrel and $\pi\pi$ scattering data (ALBRECHT 20), and COMPASS data (ADOLPH 15), using a coupled-channel model of $\eta\pi$, $\eta'\pi$ and $K\bar{K}$ systems.

² The coupled-channel analysis of both the $\eta\pi$ and $\eta'\pi$ systems using ADOLPH 15 data.

 $\pi_1(1600)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
1661^{+15}_{-11} OUR AVERAGE				Error includes scale factor of 1.2.
1600^{+110}_{-60}	46M	¹ AGHASYAN	18B	COMP 190 $\pi^-p \rightarrow \pi^-\pi^+\pi^-p$
$1664 \pm 8 \pm 10$	145k	² LU	05	B852 18 $\pi^-p \rightarrow \omega\pi^-\pi^0p$
$1709 \pm 24 \pm 41$	69k	³ KUHN	04	B852 18 $\pi^-p \rightarrow \eta\pi^+\pi^-\pi^-p$
$1597 \pm 10^{+45}_{-10}$		³ IVANOV	01	B852 18 $\pi^-p \rightarrow \eta'\pi^-p$
$1660 \pm 10^{+0}_{-64}$	420k	⁴ ALEKSEEV	10	COMP 190 $\pi^-Pb \rightarrow \pi^-\pi^-\pi^+Pb'$
$1593 \pm 8^{+29}_{-47}$		^{3,5} ADAMS	98B	B852 18.3 $\pi^-p \rightarrow \pi^+\pi^-\pi^-p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

¹ Statistical error negligible. See also the review ALEXEEV 22.

² May be a different state: natural and unnatural parity exchanges.

³ Natural parity exchange.

⁴ Superseded by AGHASYAN 2018B.


⁵ Superseded by DZIERBA 06 excluding this state in a more refined PWA analysis, with 2.6 M events of $\pi^-p \rightarrow \pi^-\pi^-\pi^+p$ and 3 M events of $\pi^-p \rightarrow \pi^-\pi^0\pi^0p$ of E852 data.

 $\pi_1(1600)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
240 ± 50 OUR AVERAGE				Error includes scale factor of 1.7. See the ideogram below.
580^{+100}_{-230}	46M	¹ AGHASYAN	18B	COMP 190 $\pi^-p \rightarrow \pi^-\pi^+\pi^-p$
$185 \pm 25 \pm 28$	145k	² LU	05	B852 18 $\pi^-p \rightarrow \omega\pi^-\pi^0p$

$403 \pm 80 \pm 115$	69k	³ KUHN	04	B852	18	$\pi^- p \rightarrow \eta \pi^+ \pi^- \pi^- p$
$340 \pm 40 \pm 50$		³ IVANOV	01	B852	18	$\pi^- p \rightarrow \eta' \pi^- p$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●						
$269 \pm 21 \pm 42$	420k	⁴ ALEKSEEV	10	COMP	190	$\pi^- Pb \rightarrow \pi^- \pi^- \pi^+ Pb'$
$168 \pm 20 \pm 150$		^{3,5} ADAMS	98B	B852	18.3	$\pi^- p \rightarrow \pi^+ \pi^- \pi^- p$

WEIGHTED AVERAGE
240±50 (Error scaled by 1.7)



¹ Statistical error negligible. See also the review ALEXEEV 22.

² May be a different state: natural and unnatural parity exchanges.

³ Natural parity exchange.

⁴ Superseded by AGHASYAN 2018B.

⁵ Superseded by DZIERBA 06 excluding this state in a more refined PWA analysis, with 2.6 M events of $\pi^- p \rightarrow \pi^- \pi^- \pi^+ p$ and 3 M events of $\pi^- p \rightarrow \pi^- \pi^0 \pi^0 p$ of E852 data.

$\pi_1(1600)$ width (MeV)

$\pi_1(1600)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $\pi \pi \pi$	seen
Γ_2 $\rho^0 \pi^-$	seen
Γ_3 $f_2(1270) \pi^-$	not seen
Γ_4 $b_1(1235) \pi$	seen
Γ_5 $\eta'(958) \pi^-$	seen
Γ_6 $\eta \pi$	
Γ_7 $f_1(1285) \pi$	seen

$\pi_1(1600)$ BRANCHING RATIOS $\Gamma(\rho^0\pi^-)/\Gamma_{\text{total}}$ Γ_2/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

seen	ALEKSEEV	10	COMP 190 $\pi^- Pb \rightarrow \pi^- \pi^- \pi^+ Pb'$
-------------	----------	----	---

• • • We do not use the following data for averages, fits, limits, etc. • • •

not seen	NOZAR	09	CLAS $\gamma p \rightarrow 2\pi^+ \pi^- n$
----------	-------	----	--

not seen	¹ DZIERBA	06	B852 18 $\pi^- p$
----------	----------------------	----	-------------------

¹From the PWA analysis of 2.6 M $\pi^- p \rightarrow \pi^- \pi^- \pi^+ p$ and 3 M events of $\pi^- p \rightarrow \pi^- \pi^0 \pi^0 p$ of E852 data. Supersedes ADAMS 98B.

 $\Gamma(f_2(1270)\pi^-)/\Gamma_{\text{total}}$ Γ_3/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

not seen	¹ DZIERBA	06	B852 18 $\pi^- p$
-----------------	----------------------	----	-------------------

¹From the PWA analysis of 2.6 M $\pi^- p \rightarrow \pi^- \pi^- \pi^+ p$ and 3 M events of $\pi^- p \rightarrow \pi^- \pi^0 \pi^0 p$ of E852 data. Supersedes CHUNG 02.

 $\Gamma(b_1(1235)\pi)/\Gamma_{\text{total}}$ Γ_4/Γ

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-------	------	-------------	------	---------

seen	35280	¹ BAKER	03	SPEC $\bar{p} p \rightarrow \omega \pi^+ \pi^- \pi^0$
-------------	-------	--------------------	----	---

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen	145k	LU	05	B852 18 $\pi^- p \rightarrow \omega \pi^- \pi^0 p$
------	------	----	----	--

¹ $B((b_1\pi)_{D\text{-wave}})/B((b_1\pi)_{S\text{-wave}})=0.3 \pm 0.1$.

 $\Gamma(\eta'(958)\pi^-)/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

seen	IVANOV	01	B852 18 $\pi^- p \rightarrow \eta' \pi^- p$
-------------	--------	----	---

 $\Gamma(\eta'(958)\pi^-)/\Gamma(\eta\pi)$ Γ_5/Γ_6

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

$5.54 \pm 1.1^{+1.8}_{-0.27}$	¹ KOPF	21	RVUE 0.9 $p\bar{p} \rightarrow \pi^0 \pi^0 \eta, \pi^0 \eta \eta,$ $\pi^0 K^+ K^-$ and 191 $\pi^- p \rightarrow$ $\pi^- \pi^- \pi^+ p$
-------------------------------	-------------------	----	--

¹From T-matrix pole based on combined fit of Crystal Barrel and $\pi\pi$ scattering data (ALBRECHT 20), and COMPASS data (ADOLPH 15), using a coupled-channel model of $\eta\pi, \eta'\pi$ and $K\bar{K}$ systems.

 $\Gamma(f_1(1285)\pi)/\Gamma(\eta'(958)\pi^-)$ Γ_7/Γ_5

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-------	------	-------------	------	---------

3.80 ± 0.78	69k	¹ KUHN	04	B852 18 $\pi^- p \rightarrow \eta \pi^+ \pi^- \pi^- p$
-----------------------------------	-----	-------------------	----	--

¹Using $\eta'(958)\pi$ data from IVANOV 01.

$\pi_1(1600)$ REFERENCES

ALEXEEV	22	PR D105 012005	G.D. Alexeev <i>et al.</i>	(COMPASS Collab.)
KOPF	21	EPJ C81 1056	B. Kopf <i>et al.</i>	(BOCH)
ALBRECHT	20	EPJ C80 453	M. Albrecht <i>et al.</i>	(Crystal Barrel Collab.)
RODAS	19	PRL 122 042002	A. Rodas <i>et al.</i>	(JPAC Collab.)
AGHASYAN	18B	PR D98 092003	M. Aghasyan <i>et al.</i>	(COMPASS Collab.)
ADOLPH	15	PL B740 303	M. Adolph <i>et al.</i>	(COMPASS Collab.)
ALEKSEEV	10	PRL 104 241803	M.G. Alekseev <i>et al.</i>	(COMPASS Collab.)
NOZAR	09	PRL 102 102002	M. Nozar <i>et al.</i>	(JLab CLAS Collab.)
DZIERBA	06	PR D73 072001	A.R. Dzierba <i>et al.</i>	(BNL E852 Collab.)
PDG	06	JP G33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)
LU	05	PRL 94 032002	M. Lu <i>et al.</i>	(BNL E852 Collab.)
KUHN	04	PL B595 109	J. Kuhn <i>et al.</i>	(BNL E852 Collab.)
BAKER	03	PL B563 140	C.A. Baker <i>et al.</i>	
CHUNG	02	PR D65 072001	S.U. Chung <i>et al.</i>	(BNL E852 Collab.)
IVANOV	01	PRL 86 3977	E.I. Ivanov <i>et al.</i>	(BNL E852 Collab.)
ADAMS	98B	PRL 81 5760	G.S. Adams <i>et al.</i>	(BNL E852 Collab.)
